



Full wwPDB X-ray Structure Validation Report i

Mar 8, 2021 – 03:12 pm GMT

PDB ID : 7A62
Title : Structure of human indoleamine-2,3-dioxygenase 1 (hIDO1) with a complete JK loop
Authors : Mirgaux, M.; Wouters, J.
Deposited on : 2020-08-24
Resolution : 2.44 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.17.1
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.17.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.44 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1564 (2.46-2.42)
Clashscore	141614	1631 (2.46-2.42)
Ramachandran outliers	138981	1617 (2.46-2.42)
Sidechain outliers	138945	1617 (2.46-2.42)
RSRZ outliers	127900	1547 (2.46-2.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GOL	C	503	-	-	-	X

2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 12873 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Indoleamine 2,3-dioxygenase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	374	Total 2949	C 1895	N 503	O 534	S 17	0	0	0
1	B	378	Total 2971	C 1906	N 507	O 541	S 17	0	0	0
1	C	393	Total 3089	C 1977	N 527	O 568	S 17	0	0	0
1	D	375	Total 2953	C 1897	N 504	O 535	S 17	0	0	0

There are 72 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	MET	-	initiating methionine	UNP P14902
A	0	GLY	-	expression tag	UNP P14902
A	1	SER	-	expression tag	UNP P14902
A	2	SER	-	expression tag	UNP P14902
A	3	HIS	-	expression tag	UNP P14902
A	4	HIS	-	expression tag	UNP P14902
A	5	HIS	-	expression tag	UNP P14902
A	6	HIS	-	expression tag	UNP P14902
A	7	HIS	-	expression tag	UNP P14902
A	8	HIS	-	expression tag	UNP P14902
A	9	SER	-	expression tag	UNP P14902
A	10	SER	-	expression tag	UNP P14902
A	11	GLY	-	expression tag	UNP P14902
A	12	SER	-	expression tag	UNP P14902
A	13	ALA	-	expression tag	UNP P14902
A	14	ALA	-	expression tag	UNP P14902
A	116	ALA	LYS	engineered mutation	UNP P14902
A	117	ALA	LYS	engineered mutation	UNP P14902
B	-1	MET	-	initiating methionine	UNP P14902
B	0	GLY	-	expression tag	UNP P14902
B	1	SER	-	expression tag	UNP P14902

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	2	SER	-	expression tag	UNP P14902
B	3	HIS	-	expression tag	UNP P14902
B	4	HIS	-	expression tag	UNP P14902
B	5	HIS	-	expression tag	UNP P14902
B	6	HIS	-	expression tag	UNP P14902
B	7	HIS	-	expression tag	UNP P14902
B	8	HIS	-	expression tag	UNP P14902
B	9	SER	-	expression tag	UNP P14902
B	10	SER	-	expression tag	UNP P14902
B	11	GLY	-	expression tag	UNP P14902
B	12	SER	-	expression tag	UNP P14902
B	13	ALA	-	expression tag	UNP P14902
B	14	ALA	-	expression tag	UNP P14902
B	116	ALA	LYS	engineered mutation	UNP P14902
B	117	ALA	LYS	engineered mutation	UNP P14902
C	-1	MET	-	initiating methionine	UNP P14902
C	0	GLY	-	expression tag	UNP P14902
C	1	SER	-	expression tag	UNP P14902
C	2	SER	-	expression tag	UNP P14902
C	3	HIS	-	expression tag	UNP P14902
C	4	HIS	-	expression tag	UNP P14902
C	5	HIS	-	expression tag	UNP P14902
C	6	HIS	-	expression tag	UNP P14902
C	7	HIS	-	expression tag	UNP P14902
C	8	HIS	-	expression tag	UNP P14902
C	9	SER	-	expression tag	UNP P14902
C	10	SER	-	expression tag	UNP P14902
C	11	GLY	-	expression tag	UNP P14902
C	12	SER	-	expression tag	UNP P14902
C	13	ALA	-	expression tag	UNP P14902
C	14	ALA	-	expression tag	UNP P14902
C	116	ALA	LYS	engineered mutation	UNP P14902
C	117	ALA	LYS	engineered mutation	UNP P14902
D	-1	MET	-	initiating methionine	UNP P14902
D	0	GLY	-	expression tag	UNP P14902
D	1	SER	-	expression tag	UNP P14902
D	2	SER	-	expression tag	UNP P14902
D	3	HIS	-	expression tag	UNP P14902
D	4	HIS	-	expression tag	UNP P14902
D	5	HIS	-	expression tag	UNP P14902
D	6	HIS	-	expression tag	UNP P14902
D	7	HIS	-	expression tag	UNP P14902

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	8	HIS	-	expression tag	UNP P14902
D	9	SER	-	expression tag	UNP P14902
D	10	SER	-	expression tag	UNP P14902
D	11	GLY	-	expression tag	UNP P14902
D	12	SER	-	expression tag	UNP P14902
D	13	ALA	-	expression tag	UNP P14902
D	14	ALA	-	expression tag	UNP P14902
D	116	ALA	LYS	engineered mutation	UNP P14902
D	117	ALA	LYS	engineered mutation	UNP P14902

- Molecule 2 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 6 3 3	0	0
2	B	1	Total C O 6 3 3	0	0
2	B	1	Total C O 6 3 3	0	0
2	C	1	Total C O 6 3 3	0	0
2	C	1	Total C O 6 3 3	0	0
2	D	1	Total C O 6 3 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	D	1	Total C O 6 3 3	0	0

- Molecule 3 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: C₃₄H₃₂FeN₄O₄) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C Fe N O 43 34 1 4 4	0	0
3	B	1	Total C Fe N O 43 34 1 4 4	0	0
3	C	1	Total C Fe N O 43 34 1 4 4	0	0
3	D	1	Total C Fe N O 43 34 1 4 4	0	0

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	C	1	Total Cl 1 1	0	0
4	D	1	Total Cl 1 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	171	Total O 171 171	0	0
5	B	191	Total O 191 191	0	0
5	C	188	Total O 188 188	0	0
5	D	145	Total O 145 145	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Indoleamine 2,3-dioxygenase 1




- Molecule 1: Indoleamine 2,3-dioxygenase 1



- Molecule 1: Indoleamine 2,3-dioxygenase 1



- Molecule 1: Indoleamine 2,3-dioxygenase 1



4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	80.96 Å 117.95 Å 216.41 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.18 – 2.44 49.18 – 2.44	Depositor EDS
% Data completeness (in resolution range)	84.1 (49.18-2.44) 84.2 (49.18-2.44)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	1.73 (at 2.45 Å)	Xtriage
Refinement program	PHENIX 1.10.1_2155	Depositor
R , R_{free}	0.212 , 0.257 0.211 , 0.259	Depositor DCC
R_{free} test set	3305 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	39.0	Xtriage
Anisotropy	0.002	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 34.9	EDS
L-test for twinning ²	$< L > = 0.53$, $< L^2 > = 0.37$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	12873	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 46.64 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.1117e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: CL, HEM, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.61	1/3018 (0.0%)	0.57	0/4087
1	B	0.61	1/3040 (0.0%)	0.58	1/4114 (0.0%)
1	C	0.60	2/3160 (0.1%)	0.60	0/4275
1	D	0.61	2/3022 (0.1%)	0.59	1/4092 (0.0%)
All	All	0.61	6/12240 (0.0%)	0.58	2/16568 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	335	CYS	CB-SG	-7.96	1.68	1.82
1	B	121	PRO	C-N	-7.63	1.19	1.34
1	C	361	GLN	CB-CG	-6.88	1.33	1.52
1	D	121	PRO	C-N	-6.84	1.21	1.34
1	C	121	PRO	C-N	-6.64	1.21	1.34
1	D	254	GLU	C-N	-6.56	1.19	1.34

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	55	LEU	CA-CB-CG	-5.36	102.97	115.30
1	D	355	LEU	CA-CB-CG	-5.08	103.62	115.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	12	SER	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2949	0	2956	26	0
1	B	2971	0	2971	32	0
1	C	3089	0	3092	49	0
1	D	2953	0	2959	45	0
2	A	6	0	8	1	0
2	B	12	0	16	0	0
2	C	12	0	16	2	0
2	D	12	0	16	2	0
3	A	43	0	30	3	0
3	B	43	0	30	3	0
3	C	43	0	30	4	0
3	D	43	0	30	6	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
5	A	171	0	0	3	0
5	B	191	0	0	13	0
5	C	188	0	0	13	0
5	D	145	0	0	9	0
All	All	12873	0	12154	160	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (160) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:96:HIS:ND1	5:C:601:HOH:O	2.06	0.87
1:A:56:ARG:HD2	2:A:501:GOL:H2	1.61	0.83

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:504:HEM:HBB2	3:C:504:HEM:HHC	1.60	0.81
1:B:227:PHE:O	1:B:231:ARG:NH1	2.18	0.77
3:D:504:HEM:HHC	3:D:504:HEM:HBB2	1.66	0.77
1:D:263:SER:N	5:D:605:HOH:O	2.18	0.76
1:D:149:ASP:OD1	5:D:601:HOH:O	2.04	0.76
1:D:216:GLN:NE2	5:D:603:HOH:O	2.17	0.76
1:C:360:GLN:O	1:C:361:GLN:HB3	1.85	0.75
1:D:185:PHE:HA	1:D:188:MET:HE3	1.70	0.71
1:A:382:THR:O	1:A:386:ASN:ND2	2.22	0.71
1:A:113:GLN:OE1	5:A:601:HOH:O	2.09	0.69
1:A:321:LEU:HD21	1:A:400:LEU:HD22	1.73	0.68
1:B:282:THR:O	1:B:293:GLN:NE2	2.27	0.68
1:C:265:GLY:O	5:C:602:HOH:O	2.10	0.68
1:A:48:ASP:OD2	5:A:602:HOH:O	2.12	0.67
1:B:105:ARG:NH1	5:B:609:HOH:O	2.28	0.66
1:C:68:ASP:OD1	5:C:603:HOH:O	2.14	0.65
1:C:318:GLU:OE1	5:C:604:HOH:O	2.14	0.65
1:A:12:SER:N	5:A:607:HOH:O	2.29	0.65
1:C:216:GLN:NE2	5:C:609:HOH:O	2.30	0.65
1:B:355:LEU:HD11	1:B:385:MET:SD	2.37	0.65
1:C:321:LEU:HD21	1:C:400:LEU:HD22	1.79	0.65
3:B:503:HEM:HMB2	3:B:503:HEM:HBB2	1.79	0.64
1:C:297:ARG:HD3	2:C:503:GOL:H11	1.80	0.63
1:D:21:VAL:HG13	1:D:24:ALA:HB3	1.82	0.61
1:C:280:GLN:HB3	1:C:283:ALA:HB3	1.83	0.61
1:B:88:MET:HE1	1:B:123:ILE:HG13	1.81	0.60
1:D:317:ARG:HG2	1:D:321:LEU:HD11	1.83	0.60
1:B:64:MET:HE2	1:B:106:ASN:HA	1.84	0.59
1:A:355:LEU:HD11	1:A:385:MET:SD	2.42	0.59
1:C:363:LYS:NZ	5:C:611:HOH:O	2.35	0.59
1:A:88:MET:HE1	1:A:123:ILE:HG13	1.84	0.59
2:D:501:GOL:O1	5:D:604:HOH:O	2.17	0.59
1:D:156:ASP:OD1	5:D:602:HOH:O	2.17	0.59
1:D:313:ASN:HB3	1:D:314:PRO:HD2	1.85	0.58
1:C:401:LYS:NZ	5:C:605:HOH:O	2.14	0.58
3:B:503:HEM:HBC2	3:B:503:HEM:HMC2	1.87	0.57
1:B:58:ARG:NH1	5:B:611:HOH:O	2.32	0.57
1:D:253:TRP:CE3	1:D:257:LYS:HD2	2.41	0.56
1:A:64:MET:HE2	1:A:106:ASN:HA	1.88	0.56
1:B:403:GLY:O	5:B:601:HOH:O	2.18	0.56
1:C:101:LYS:NZ	5:C:614:HOH:O	2.38	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:242:GLN:OE1	5:C:606:HOH:O	2.18	0.55
1:C:361:GLN:CG	1:C:365:ASN:HB3	2.37	0.55
1:D:64:MET:HE2	1:D:106:ASN:HA	1.89	0.55
1:B:71:THR:HG22	5:B:666:HOH:O	2.08	0.54
1:B:21:VAL:HG12	1:B:172:ILE:HG12	1.89	0.54
1:B:380:GLY:O	5:B:602:HOH:O	2.19	0.54
1:C:286:GLY:N	5:C:615:HOH:O	2.41	0.54
1:D:217:ILE:CD1	3:D:504:HEM:HBB1	2.38	0.54
1:D:217:ILE:HD11	3:D:504:HEM:HBB1	1.89	0.53
1:D:333:ASP:O	1:D:337:LYS:HG3	2.08	0.53
1:C:379:THR:O	1:C:382:THR:HG22	2.09	0.53
1:A:222:ASN:OD1	1:D:146:GLU:HG2	2.09	0.53
3:A:502:HEM:HBC2	3:A:502:HEM:HMC2	1.90	0.52
1:B:12:SER:HA	1:B:17:ILE:O	2.10	0.52
1:C:295:MET:HG3	5:C:739:HOH:O	2.08	0.52
1:D:21:VAL:CG1	1:D:24:ALA:HB3	2.39	0.52
1:D:44:LYS:NZ	2:D:503:GOL:O3	2.40	0.52
1:C:297:ARG:HD3	2:C:503:GOL:C1	2.40	0.52
1:B:351:THR:HA	1:B:355:LEU:HD12	1.93	0.51
1:D:317:ARG:O	1:D:321:LEU:HD12	2.10	0.51
1:D:189:GLN:HG2	1:D:190:MET:CE	2.41	0.51
5:B:607:HOH:O	1:C:220:HIS:HD2	1.93	0.50
1:D:270:PHE:HB3	1:D:343:ARG:NH2	2.26	0.50
1:B:119:GLU:O	1:B:304:ARG:NH2	2.44	0.50
1:C:356:ILE:CG1	1:C:357:PRO:HD3	2.42	0.50
1:C:383:ASP:HA	1:C:386:ASN:OD1	2.13	0.49
1:D:220:HIS:HE1	5:D:603:HOH:O	1.94	0.49
1:D:337:LYS:NZ	5:D:616:HOH:O	2.45	0.49
1:A:198:LYS:O	1:A:198:LYS:NZ	2.35	0.49
1:B:295:MET:HG3	5:B:741:HOH:O	2.11	0.49
1:D:242:GLN:O	1:D:243:LEU:HD23	2.13	0.49
1:D:355:LEU:HA	1:D:355:LEU:HD23	1.69	0.48
1:B:161:LYS:NZ	5:B:615:HOH:O	2.43	0.48
1:A:351:THR:HA	1:A:355:LEU:HD12	1.96	0.48
1:C:361:GLN:HG3	1:C:365:ASN:HB3	1.96	0.48
1:D:297:ARG:NH2	5:D:606:HOH:O	2.22	0.48
1:D:301:PRO:HA	1:D:304:ARG:HE	1.79	0.48
1:C:356:ILE:HG13	1:C:357:PRO:HD3	1.96	0.47
1:C:351:THR:O	1:C:356:ILE:HG12	2.15	0.47
1:D:296:ARG:O	1:D:304:ARG:HD3	2.14	0.47
3:A:502:HEM:O1D	3:A:502:HEM:HMD1	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:361:GLN:HG2	1:C:365:ASN:HA	1.96	0.47
1:A:217:ILE:HD11	3:A:502:HEM:HBB1	1.97	0.46
1:C:328:LEU:HA	1:C:328:LEU:HD23	1.74	0.46
1:C:367:THR:OG1	1:C:368:SER:N	2.48	0.46
1:D:265:GLY:HA2	3:D:504:HEM:C4D	2.50	0.46
1:B:106:ASN:HB2	5:B:658:HOH:O	2.14	0.46
1:C:329:ARG:HE	1:C:402:GLU:HB3	1.80	0.46
1:C:369:GLU:OE2	1:C:377:LYS:HA	2.16	0.46
1:A:18:ASP:OD2	1:A:21:VAL:HG22	2.15	0.46
1:B:217:ILE:HD11	3:B:503:HEM:HBB1	1.98	0.46
1:C:377:LYS:HB2	1:C:380:GLY:C	2.36	0.46
1:A:64:MET:HB2	1:A:106:ASN:OD1	2.16	0.46
1:B:400:LEU:HD12	1:B:400:LEU:O	2.16	0.45
1:C:265:GLY:HA2	3:C:504:HEM:C4D	2.50	0.45
1:B:343:ARG:HD3	5:B:669:HOH:O	2.15	0.45
1:B:333:ASP:O	1:B:337:LYS:HG3	2.16	0.45
1:C:226:PHE:HE2	1:C:354:ILE:HD11	1.82	0.45
1:C:361:GLN:CG	1:C:365:ASN:CB	2.95	0.45
1:B:329:ARG:HD2	1:B:400:LEU:CD1	2.46	0.45
1:D:315:SER:HB3	1:D:318:GLU:HB3	1.98	0.45
1:B:139:PRO:HB3	5:B:727:HOH:O	2.17	0.45
1:A:253:TRP:CE3	1:A:257:LYS:HD2	2.53	0.45
1:C:37:ASN:ND2	5:C:612:HOH:O	2.36	0.44
1:C:343:ARG:HD3	3:C:504:HEM:O2D	2.18	0.44
1:A:361:GLN:HA	1:A:362:PRO:HD3	1.67	0.44
1:D:355:LEU:HD21	1:D:381:GLY:HA2	1.99	0.44
1:C:138:ASP:OD2	1:C:141:LYS:HG3	2.17	0.43
1:B:64:MET:HB2	1:B:106:ASN:OD1	2.18	0.43
1:B:360:GLN:O	1:B:362:PRO:HD3	2.18	0.43
1:D:347:LEU:O	1:D:351:THR:HG23	2.18	0.43
1:A:261:GLY:O	1:A:263:SER:N	2.47	0.43
1:C:141:LYS:HB3	1:C:142:PRO:HD2	2.00	0.43
1:C:362:PRO:HB2	1:C:363:LYS:H	1.55	0.43
1:D:58:ARG:NH1	5:D:608:HOH:O	2.26	0.43
1:D:189:GLN:HG2	1:D:190:MET:HE1	2.00	0.43
1:D:205:SER:O	1:D:209:LYS:HG3	2.19	0.43
1:D:380:GLY:O	1:D:384:LEU:N	2.36	0.43
1:B:31:ASN:HB3	5:B:678:HOH:O	2.19	0.43
1:B:328:LEU:HD23	1:B:328:LEU:HA	1.87	0.43
1:C:329:ARG:CZ	1:C:402:GLU:HG2	2.49	0.43
1:C:357:PRO:HA	1:C:360:GLN:HG2	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:55:LEU:O	1:D:55:LEU:HG	2.15	0.43
1:D:274:ASP:OD2	1:D:281:GLN:HG3	2.19	0.43
1:D:64:MET:HB2	1:D:106:ASN:OD1	2.18	0.42
1:B:227:PHE:C	1:B:231:ARG:HH11	2.22	0.42
1:C:217:ILE:CD1	3:C:504:HEM:HBB1	2.50	0.42
1:D:67:ILE:H	1:D:67:ILE:HG13	1.67	0.42
3:D:504:HEM:O2D	3:D:504:HEM:HMD1	2.19	0.42
1:B:141:LYS:HB3	1:B:142:PRO:HD2	2.02	0.42
1:A:12:SER:HB3	1:A:15:TYR:HD2	1.83	0.42
1:A:313:ASN:HB3	1:A:314:PRO:HD2	2.01	0.42
1:B:222:ASN:HA	1:B:223:PRO:HD3	1.94	0.42
1:B:379:THR:HG21	5:B:758:HOH:O	2.20	0.42
1:D:188:MET:HE1	1:D:316:VAL:HG22	2.02	0.42
1:A:214:PHE:HD1	1:A:214:PHE:O	2.03	0.42
1:C:30:GLU:HG3	1:C:151:LEU:HD22	2.01	0.42
1:A:299:MET:O	1:A:304:ARG:NH1	2.53	0.41
1:C:349:ILE:HD13	1:C:349:ILE:HA	1.85	0.41
1:D:115:SER:HB3	1:D:120:LEU:O	2.20	0.41
1:D:328:LEU:HA	1:D:328:LEU:HD23	1.76	0.41
1:A:333:ASP:O	1:A:337:LYS:HG3	2.21	0.41
1:C:333:ASP:O	1:C:337:LYS:HG3	2.21	0.41
1:C:361:GLN:HG2	1:C:365:ASN:CA	2.50	0.41
1:B:18:ASP:HB2	1:B:26:PRO:HG3	2.03	0.41
1:C:374:LEU:O	1:C:374:LEU:HD23	2.20	0.41
1:A:115:SER:HB3	1:A:120:LEU:O	2.21	0.41
1:A:393:SER:OG	1:A:397:LYS:HE2	2.21	0.41
1:D:189:GLN:HE21	1:D:190:MET:CE	2.33	0.41
1:A:44:LYS:HE2	1:A:152:PHE:CE1	2.56	0.40
1:D:32:LEU:HG	1:D:40:MET:HE1	2.02	0.40
1:D:321:LEU:HD21	1:D:400:LEU:HD22	2.03	0.40
1:C:232:ILE:HD13	1:C:232:ILE:HA	1.99	0.40
1:C:167:SER:O	1:C:170:VAL:HG22	2.21	0.40
1:D:207:LEU:HD23	1:D:207:LEU:HA	1.91	0.40
1:C:363:LYS:HD2	5:C:601:HOH:O	2.22	0.40
3:D:504:HEM:HBB2	3:D:504:HEM:CHC	2.42	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	370/405 (91%)	359 (97%)	11 (3%)	0	100 100
1	B	374/405 (92%)	362 (97%)	12 (3%)	0	100 100
1	C	391/405 (96%)	366 (94%)	22 (6%)	3 (1%)	19 22
1	D	371/405 (92%)	358 (96%)	11 (3%)	2 (0%)	29 34
All	All	1506/1620 (93%)	1445 (96%)	56 (4%)	5 (0%)	41 49

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	365	ASN
1	C	362	PRO
1	D	381	GLY
1	C	361	GLN
1	D	361	GLN

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	320/346 (92%)	316 (99%)	4 (1%)	69 80
1	B	321/346 (93%)	316 (98%)	5 (2%)	62 74
1	C	335/346 (97%)	331 (99%)	4 (1%)	71 81
1	D	320/346 (92%)	316 (99%)	4 (1%)	69 80
All	All	1296/1384 (94%)	1279 (99%)	17 (1%)	69 80

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16	HIS
1	A	80	ARG
1	A	214	PHE
1	A	237	TRP
1	B	16	HIS
1	B	80	ARG
1	B	214	PHE
1	B	237	TRP
1	B	361	GLN
1	C	80	ARG
1	C	214	PHE
1	C	237	TRP
1	C	361	GLN
1	D	16	HIS
1	D	214	PHE
1	D	231	ARG
1	D	237	TRP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	220	HIS
1	D	189	GLN
1	D	220	HIS
1	D	386	ASN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 13 ligands modelled in this entry, 2 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	HEM	C	504	1	27,50,50	2.01	5 (18%)	17,82,82	1.68	4 (23%)
2	GOL	B	502	-	5,5,5	0.46	0	5,5,5	0.36	0
2	GOL	D	503	-	5,5,5	0.53	0	5,5,5	0.39	0
2	GOL	C	502	-	5,5,5	0.47	0	5,5,5	0.43	0
2	GOL	C	503	-	5,5,5	0.36	0	5,5,5	0.38	0
2	GOL	D	501	-	5,5,5	0.38	0	5,5,5	0.24	0
3	HEM	B	503	1	27,50,50	2.01	5 (18%)	17,82,82	1.89	6 (35%)
2	GOL	B	501	-	5,5,5	0.34	0	5,5,5	0.36	0
3	HEM	D	504	1	27,50,50	2.10	6 (22%)	17,82,82	1.74	4 (23%)
2	GOL	A	501	-	5,5,5	0.50	0	5,5,5	0.45	0
3	HEM	A	502	1	27,50,50	1.96	5 (18%)	17,82,82	1.30	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HEM	C	504	1	-	1/6/54/54	-
2	GOL	B	502	-	-	2/4/4/4	-
2	GOL	D	503	-	-	0/4/4/4	-
2	GOL	C	502	-	-	2/4/4/4	-
2	GOL	C	503	-	-	0/4/4/4	-
2	GOL	D	501	-	-	2/4/4/4	-
3	HEM	B	503	1	-	2/6/54/54	-
2	GOL	B	501	-	-	2/4/4/4	-
3	HEM	D	504	1	-	1/6/54/54	-
2	GOL	A	501	-	-	4/4/4/4	-
3	HEM	A	502	1	-	0/6/54/54	-

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	504	HEM	C3B-C2B	-6.59	1.31	1.40
3	C	504	HEM	C3B-C2B	-5.68	1.32	1.40
3	B	503	HEM	C3B-C2B	-5.39	1.32	1.40
3	A	502	HEM	C3B-C2B	-5.21	1.33	1.40
3	C	504	HEM	C3C-C2C	-5.00	1.33	1.40
3	A	502	HEM	C3C-C2C	-4.76	1.33	1.40
3	D	504	HEM	C3C-C2C	-4.75	1.33	1.40
3	B	503	HEM	C3C-C2C	-4.70	1.33	1.40
3	B	503	HEM	C3C-CAC	3.75	1.55	1.47
3	A	502	HEM	C3C-CAC	3.38	1.54	1.47
3	B	503	HEM	C3B-CAB	3.28	1.54	1.47
3	D	504	HEM	C3C-CAC	3.26	1.54	1.47
3	C	504	HEM	C3B-CAB	3.19	1.54	1.47
3	A	502	HEM	C3B-CAB	3.10	1.54	1.47
3	C	504	HEM	C3C-CAC	3.00	1.54	1.47
3	D	504	HEM	C3B-CAB	2.90	1.53	1.47
3	C	504	HEM	CAA-C2A	2.21	1.55	1.52
3	D	504	HEM	CAA-C2A	2.19	1.55	1.52
3	B	503	HEM	CAA-C2A	2.18	1.55	1.52
3	D	504	HEM	C4A-CHB	-2.02	1.35	1.41
3	A	502	HEM	CAA-C2A	2.00	1.55	1.52

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	503	HEM	CBD-CAD-C3D	3.81	119.49	112.48
3	D	504	HEM	CMA-C3A-C4A	-3.56	122.99	128.46
3	D	504	HEM	CAA-CBA-CGA	-3.04	107.57	112.67
3	B	503	HEM	CAD-CBD-CGD	3.03	117.75	112.67
3	C	504	HEM	CMA-C3A-C4A	-2.96	123.91	128.46
3	C	504	HEM	CAD-CBD-CGD	-2.90	107.80	112.67
3	A	502	HEM	CMB-C2B-C3B	2.81	129.94	124.68
3	C	504	HEM	CAA-CBA-CGA	-2.81	107.96	112.67
3	D	504	HEM	CBD-CAD-C3D	-2.79	107.33	112.48
3	B	503	HEM	CMC-C2C-C3C	2.78	129.88	124.68
3	B	503	HEM	CMD-C2D-C1D	-2.50	124.62	128.46
3	D	504	HEM	CMA-C3A-C2A	2.44	129.53	124.94
3	A	502	HEM	CMC-C2C-C3C	2.40	129.18	124.68
3	B	503	HEM	CAD-C3D-C2D	2.32	133.90	127.25
3	C	504	HEM	CBD-CAD-C3D	-2.26	108.31	112.48
3	B	503	HEM	CMB-C2B-C3B	2.20	128.79	124.68

There are no chirality outliers.

All (16) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	GOL	C1-C2-C3-O3
2	B	501	GOL	O1-C1-C2-C3
2	B	502	GOL	O1-C1-C2-C3
2	C	502	GOL	O1-C1-C2-C3
2	D	501	GOL	O1-C1-C2-O2
2	D	501	GOL	O1-C1-C2-C3
3	B	503	HEM	C2D-C3D-CAD-CBD
3	B	503	HEM	C4D-C3D-CAD-CBD
3	C	504	HEM	C2A-CAA-CBA-CGA
3	D	504	HEM	C2A-CAA-CBA-CGA
2	A	501	GOL	O1-C1-C2-C3
2	A	501	GOL	O1-C1-C2-O2
2	B	501	GOL	O1-C1-C2-O2
2	C	502	GOL	O1-C1-C2-O2
2	A	501	GOL	O2-C2-C3-O3
2	B	502	GOL	O1-C1-C2-O2


There are no ring outliers.



8 monomers are involved in 21 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	504	HEM	4	0
2	D	503	GOL	1	0
2	C	503	GOL	2	0
2	D	501	GOL	1	0
3	B	503	HEM	3	0
3	D	504	HEM	6	0
2	A	501	GOL	1	0
3	A	502	HEM	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.


The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.























5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	B	1
1	D	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	B	121:PRO	C	122:PRO	N	1.19
1	D	254:GLU	C	255:ASP	N	1.18

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	374/405 (92%)	-0.36	7 (1%) 66 63	21, 32, 59, 92	0
1	B	378/405 (93%)	-0.23	10 (2%) 56 52	22, 37, 68, 104	0
1	C	393/405 (97%)	0.02	28 (7%) 16 12	21, 35, 115, 189	0
1	D	375/405 (92%)	-0.17	8 (2%) 63 60	22, 37, 74, 101	0
All	All	1520/1620 (93%)	-0.18	53 (3%) 44 40	21, 35, 75, 189	0

All (53) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	372	SER	10.3
1	C	403	GLY	9.2
1	C	376	ALA	8.8
1	C	363	LYS	8.6
1	B	378	GLY	8.3
1	C	367	THR	8.1
1	C	368	SER	7.2
1	C	369	GLU	6.5
1	D	379	THR	6.4
1	C	362	PRO	6.4
1	C	374	LEU	6.3
1	C	371	PRO	6.3
1	C	365	ASN	6.0
1	C	375	GLU	6.0
1	C	370	ASP	5.9
1	A	382	THR	5.7
1	C	379	THR	5.7
1	C	377	LYS	5.6
1	C	364	GLU	5.5
1	D	11	GLY	5.3
1	B	379	THR	5.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	373	LYS	5.0
1	B	362	PRO	4.9
1	A	379	THR	4.9
1	C	283	ALA	4.5
1	A	362	PRO	4.3
1	D	362	PRO	4.2
1	B	12	SER	3.9
1	A	380	GLY	3.8
1	B	11	GLY	3.8
1	C	11	GLY	3.5
1	C	13	ALA	3.5
1	C	382	THR	3.4
1	C	366	LYS	3.4
1	A	13	ALA	3.3
1	A	12	SER	3.3
1	B	361	GLN	3.3
1	B	13	ALA	3.2
1	C	380	GLY	3.1
1	D	382	THR	3.0
1	B	403	GLY	2.8
1	C	378	GLY	2.8
1	D	380	GLY	2.8
1	D	287	HIS	2.6
1	D	282	THR	2.6
1	A	283	ALA	2.6
1	C	282	THR	2.5
1	D	12	SER	2.5
1	C	402	GLU	2.4
1	C	361	GLN	2.4
1	C	12	SER	2.4
1	B	380	GLY	2.1
1	B	286	GLY	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)


There are no monosaccharides in this entry.


6.4 Ligands (i)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	GOL	C	503	6/6	0.77	0.44	50,63,66,69	0
2	GOL	B	501	6/6	0.81	0.17	42,44,49,49	0
2	GOL	B	502	6/6	0.82	0.26	34,42,51,51	0
2	GOL	D	501	6/6	0.83	0.18	46,51,55,57	0
2	GOL	A	501	6/6	0.84	0.14	35,38,40,42	0
3	HEM	C	504	43/43	0.95	0.15	32,49,64,71	0
4	CL	D	502	1/1	0.95	0.15	42,42,42,42	0
3	HEM	A	502	43/43	0.96	0.12	26,38,50,53	0
3	HEM	B	503	43/43	0.96	0.13	33,42,55,69	0
2	GOL	C	502	6/6	0.96	0.13	30,34,36,38	0
3	HEM	D	504	43/43	0.96	0.15	34,48,65,73	0
2	GOL	D	503	6/6	0.96	0.11	30,32,36,36	0
4	CL	C	501	1/1	0.97	0.13	43,43,43,43	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.
































6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.