



Full wwPDB X-ray Structure Validation Report i

Oct 15, 2023 – 07:05 PM EDT

PDB ID : 8CT0
Title : Crystal structure of FAD reductase CtcQ from *Kitasatospora aureofaciens* in complex with FAD and NAD
Authors : Hou, C.; Tsodikov, O.V.
Deposited on : 2022-05-13
Resolution : 2.45 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1544 (2.48-2.44)
Clashscore	141614	1613 (2.48-2.44)
Ramachandran outliers	138981	1598 (2.48-2.44)
Sidechain outliers	138945	1598 (2.48-2.44)
RSRZ outliers	127900	1523 (2.48-2.44)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain			
1	F	199	6%	78%	10%	12%
1	G	199	3%	83%	•	14%
1	H	199	7%	75%	14% •	11%

2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 11093 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Flavin reductase (NADH).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	170	Total	C 1236	N 782	O 217	S 230	7	0	0
1	B	171	Total	C 1243	N 786	O 218	S 232	7	0	0
1	C	172	Total	C 1254	N 794	O 222	S 231	7	0	0
1	D	172	Total	C 1255	N 795	O 222	S 231	7	0	0
1	E	168	Total	C 1218	N 771	O 212	S 228	7	0	0
1	F	175	Total	C 1268	N 805	O 222	S 234	7	0	0
1	G	172	Total	C 1256	N 794	O 222	S 233	7	0	0
1	H	178	Total	C 1281	N 813	O 225	S 235	8	0	0

There are 64 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	192	LEU	-	expression tag	UNP S4S3E3
A	193	GLU	-	expression tag	UNP S4S3E3
A	194	HIS	-	expression tag	UNP S4S3E3
A	195	HIS	-	expression tag	UNP S4S3E3
A	196	HIS	-	expression tag	UNP S4S3E3
A	197	HIS	-	expression tag	UNP S4S3E3
A	198	HIS	-	expression tag	UNP S4S3E3
A	199	HIS	-	expression tag	UNP S4S3E3
B	192	LEU	-	expression tag	UNP S4S3E3
B	193	GLU	-	expression tag	UNP S4S3E3
B	194	HIS	-	expression tag	UNP S4S3E3
B	195	HIS	-	expression tag	UNP S4S3E3
B	196	HIS	-	expression tag	UNP S4S3E3

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	197	HIS	-	expression tag	UNP S4S3E3
B	198	HIS	-	expression tag	UNP S4S3E3
B	199	HIS	-	expression tag	UNP S4S3E3
C	192	LEU	-	expression tag	UNP S4S3E3
C	193	GLU	-	expression tag	UNP S4S3E3
C	194	HIS	-	expression tag	UNP S4S3E3
C	195	HIS	-	expression tag	UNP S4S3E3
C	196	HIS	-	expression tag	UNP S4S3E3
C	197	HIS	-	expression tag	UNP S4S3E3
C	198	HIS	-	expression tag	UNP S4S3E3
C	199	HIS	-	expression tag	UNP S4S3E3
D	192	LEU	-	expression tag	UNP S4S3E3
D	193	GLU	-	expression tag	UNP S4S3E3
D	194	HIS	-	expression tag	UNP S4S3E3
D	195	HIS	-	expression tag	UNP S4S3E3
D	196	HIS	-	expression tag	UNP S4S3E3
D	197	HIS	-	expression tag	UNP S4S3E3
D	198	HIS	-	expression tag	UNP S4S3E3
D	199	HIS	-	expression tag	UNP S4S3E3
E	192	LEU	-	expression tag	UNP S4S3E3
E	193	GLU	-	expression tag	UNP S4S3E3
E	194	HIS	-	expression tag	UNP S4S3E3
E	195	HIS	-	expression tag	UNP S4S3E3
E	196	HIS	-	expression tag	UNP S4S3E3
E	197	HIS	-	expression tag	UNP S4S3E3
E	198	HIS	-	expression tag	UNP S4S3E3
E	199	HIS	-	expression tag	UNP S4S3E3
F	192	LEU	-	expression tag	UNP S4S3E3
F	193	GLU	-	expression tag	UNP S4S3E3
F	194	HIS	-	expression tag	UNP S4S3E3
F	195	HIS	-	expression tag	UNP S4S3E3
F	196	HIS	-	expression tag	UNP S4S3E3
F	197	HIS	-	expression tag	UNP S4S3E3
F	198	HIS	-	expression tag	UNP S4S3E3
F	199	HIS	-	expression tag	UNP S4S3E3
G	192	LEU	-	expression tag	UNP S4S3E3
G	193	GLU	-	expression tag	UNP S4S3E3
G	194	HIS	-	expression tag	UNP S4S3E3
G	195	HIS	-	expression tag	UNP S4S3E3
G	196	HIS	-	expression tag	UNP S4S3E3
G	197	HIS	-	expression tag	UNP S4S3E3
G	198	HIS	-	expression tag	UNP S4S3E3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	199	HIS	-	expression tag	UNP S4S3E3
H	192	LEU	-	expression tag	UNP S4S3E3
H	193	GLU	-	expression tag	UNP S4S3E3
H	194	HIS	-	expression tag	UNP S4S3E3
H	195	HIS	-	expression tag	UNP S4S3E3
H	196	HIS	-	expression tag	UNP S4S3E3
H	197	HIS	-	expression tag	UNP S4S3E3
H	198	HIS	-	expression tag	UNP S4S3E3
H	199	HIS	-	expression tag	UNP S4S3E3

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: C₂₇H₃₃N₉O₁₅P₂) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total		C	N	O	P	
			53		27	9	15	2	
2	A	1	Total		C	N	O	P	
			53		27	9	15	2	
2	B	1	Total		C	N	O	P	
			53		27	9	15	2	
2	B	1	Total		C	N	O	P	
			53		27	9	15	2	
2	C	1	Total		C	N	O	P	
			44		22	5	15	2	
2	D	1	Total		C	N	O	P	
			53		27	9	15	2	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	D	1	Total C N O P 53 27 9 15 2	0	0
2	E	1	Total C N O P 53 27 9 15 2	0	0
2	E	1	Total C N O P 53 27 9 15 2	0	0
2	F	1	Total C N O P 53 27 9 15 2	0	0
2	F	1	Total C N O P 36 18 4 12 2	0	0
2	G	1	Total C N O P 53 27 9 15 2	0	0
2	G	1	Total C N O P 53 27 9 15 2	0	0
2	H	1	Total C N O P 36 18 4 12 2	0	0

- Molecule 3 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O P 5 4 1	0	0
3	B	1	Total O P 5 4 1	0	0
3	C	1	Total O P 5 4 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	C	1	Total O P 5 4 1	0	0
3	D	1	Total O P 5 4 1	0	0
3	D	1	Total O P 5 4 1	0	0
3	E	1	Total O P 5 4 1	0	0
3	F	1	Total O P 5 4 1	0	0
3	F	1	Total O P 5 4 1	0	0
3	G	1	Total O P 5 4 1	0	0
3	H	1	Total O P 5 4 1	0	0
3	H	1	Total O P 5 4 1	0	0


- Molecule 4 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: C₂₁H₂₇N₇O₁₄P₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	C	1	Total C N O P 44 21 7 14 2	0	0

- Molecule 5 is 1,4-DIHYDRONICOTINAMIDE ADENINE DINUCLEOTIDE (three-letter

code: NAI) (formula: C₂₁H₂₉N₇O₁₄P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
5	H	1	44	21	7	14	2	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	46	Total	O 46	0	0
6	B	34	Total	O 34	0	0
6	C	29	Total	O 29	0	0
6	D	17	Total	O 17	0	0
6	E	26	Total	O 26	0	0
6	F	24	Total	O 24	0	0
6	G	45	Total	O 45	0	0
6	H	14	Total	O 14	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Flavin reductase (NADH)




- Molecule 1: Flavin reductase (NADH)



- Molecule 1: Flavin reductase (NADH)




- Molecule 1: Flavin reductase (NADH)







- Molecule 1: Flavin reductase (NADH)




- Molecule 1: Flavin reductase (NADH)



- Molecule 1: Flavin reductase (NADH)



- Molecule 1: Flavin reductase (NADH)



4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	56.74Å 123.60Å 102.70Å 90.00° 99.10° 90.00°	Depositor
Resolution (Å)	34.97 – 2.45 34.94 – 2.45	Depositor EDS
% Data completeness (in resolution range)	95.4 (34.97-2.45) 95.3 (34.94-2.45)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	2.53 (at 2.45Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
R , R_{free}	0.194 , 0.256 0.198 , 0.259	Depositor DCC
R_{free} test set	2512 reflections (5.12%)	wwPDB-VP
Wilson B-factor (Å ²)	20.8	Xtriage
Anisotropy	0.771	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.41 , 42.7	EDS
L-test for twinning ²	$< L > = 0.49$, $< L^2 > = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	11093	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.01% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [\(i\)](#)

5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, NAI, NAD, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.64	0/1265	0.77	0/1731
1	B	0.65	0/1272	0.78	0/1740
1	C	0.63	0/1284	0.78	0/1757
1	D	0.65	0/1285	0.78	0/1759
1	E	0.64	0/1245	0.76	0/1702
1	F	0.63	0/1300	0.77	0/1782
1	G	0.64	0/1286	0.77	0/1761
1	H	0.63	0/1313	0.76	0/1798
All	All	0.64	0/10250	0.77	0/14030

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1236	0	1237	13	0
1	B	1243	0	1240	17	0
1	C	1254	0	1262	10	0
1	D	1255	0	1263	12	0
1	E	1218	0	1212	14	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	1268	0	1269	12	0
1	G	1256	0	1257	2	0
1	H	1281	0	1281	25	0
2	A	106	0	62	1	0
2	B	106	0	62	7	0
2	C	44	0	27	0	0
2	D	106	0	62	3	0
2	E	106	0	62	8	0
2	F	89	0	50	2	0
2	G	106	0	62	2	0
2	H	36	0	19	1	0
3	A	5	0	0	0	0
3	B	5	0	0	0	0
3	C	10	0	0	0	0
3	D	10	0	0	0	0
3	E	5	0	0	0	0
3	F	10	0	0	0	0
3	G	5	0	0	0	0
3	H	10	0	0	0	0
4	C	44	0	26	1	0
5	H	44	0	27	5	0
6	A	46	0	0	1	0
6	B	34	0	0	1	0
6	C	29	0	0	0	0
6	D	17	0	0	0	0
6	E	26	0	0	0	0
6	F	24	0	0	2	0
6	G	45	0	0	1	0
6	H	14	0	0	1	0
All	All	11093	0	10480	106	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (106) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:201:FAD:O2'	2:B:201:FAD:H2A	1.50	1.10
1:D:55:SER:HB3	2:E:201:FAD:H8A	1.45	0.96
2:B:201:FAD:O2'	2:B:201:FAD:C2A	2.29	0.81
2:E:201:FAD:H2A	2:E:201:FAD:O2'	1.81	0.80

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:55:SER:OG	2:F:201:FAD:H8A	1.87	0.74
1:B:13:ALA:C	1:B:13:ALA:N	2.44	0.71
5:H:202:NAI:H51A	5:H:202:NAI:O2N	1.90	0.71
1:D:17:VAL:HG13	1:D:21:THR:HB	1.79	0.64
1:D:55:SER:CB	2:E:201:FAD:H8A	2.24	0.64
1:B:13:ALA:O	1:B:16:LEU:HD13	2.00	0.62
5:H:202:NAI:H8A	5:H:202:NAI:H52N	1.80	0.62
2:E:201:FAD:H2A	2:E:201:FAD:C2'	2.30	0.62
2:B:201:FAD:H8A	1:H:55:SER:HB3	1.84	0.60
1:C:69:ARG:NH1	1:C:142:GLY:O	2.35	0.60
1:E:162:SER:HA	1:E:174:TRP:HB3	1.82	0.60
2:E:201:FAD:O2'	2:E:201:FAD:C2A	2.49	0.60
1:D:166:TYR:OH	1:D:169:ARG:HA	2.03	0.59
1:D:139:LEU:HD21	1:E:8:LEU:HD11	1.85	0.58
1:E:39:LEU:O	1:E:80:ARG:HG3	2.04	0.58
2:B:201:FAD:H8A	1:H:55:SER:CB	2.35	0.57
1:C:157:ARG:NH1	1:C:159:GLU:OE2	2.37	0.57
1:B:58:LYS:HE3	1:H:23:LEU:HD11	1.86	0.57
1:F:166:TYR:CE1	2:F:201:FAD:HM83	2.41	0.56
1:F:166:TYR:OH	1:F:169:ARG:HA	2.07	0.55
1:B:139:LEU:HD22	1:H:139:LEU:HD13	1.89	0.54
1:H:128:VAL:HG12	1:H:160:VAL:CG2	2.37	0.54
1:B:16:LEU:HD23	1:H:61:PRO:HD2	1.90	0.54
1:E:89:ARG:HA	1:E:163:PRO:HA	1.91	0.53
1:C:98:ARG:NH1	1:C:106:ARG:O	2.41	0.52
5:H:202:NAI:H8A	5:H:202:NAI:C5D	2.38	0.52
1:B:13:ALA:O	1:B:16:LEU:CD1	2.58	0.51
1:A:89:ARG:HA	1:A:163:PRO:HA	1.91	0.51
1:C:144:HIS:NE2	4:C:202:NAD:H4N	2.26	0.51
1:B:139:LEU:HD21	1:H:8:LEU:HD11	1.92	0.51
1:B:17:VAL:HG13	1:B:21:THR:HB	1.93	0.51
1:D:134:ARG:HG3	1:E:13:ALA:HB2	1.91	0.51
5:H:202:NAI:H51A	5:H:202:NAI:PN	2.52	0.50
1:D:63:LEU:HD12	1:D:63:LEU:C	2.32	0.50
2:B:201:FAD:O2B	1:H:55:SER:OG	2.27	0.49
1:E:104:ASP:HB3	2:E:202:FAD:H8A	1.94	0.49
1:B:48:LEU:C	1:B:48:LEU:HD12	2.34	0.49
1:H:46:TYR:HB3	1:H:73:VAL:HG22	1.95	0.48
1:B:48:LEU:HD12	1:B:48:LEU:O	2.13	0.48
2:B:201:FAD:C2A	2:B:201:FAD:HO2'	2.25	0.48
1:G:63:LEU:HD12	1:G:63:LEU:C	2.34	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:80:ARG:HG2	1:A:82:GLU:HG2	1.95	0.47
1:H:89:ARG:O	1:H:164:LEU:HB2	2.14	0.47
2:D:202:FAD:H2'	2:D:202:FAD:N1	2.29	0.47
1:A:16:LEU:HD21	1:F:150:ALA:HB1	1.96	0.47
1:H:169:ARG:HA	5:H:202:NAI:O2A	2.14	0.46
1:C:82:GLU:OE1	1:C:134:ARG:NH1	2.49	0.46
1:E:63:LEU:C	1:E:63:LEU:HD12	2.35	0.46
1:H:157:ARG:NE	1:H:159:GLU:OE1	2.44	0.46
1:B:56:VAL:O	1:H:144:HIS:CG	2.69	0.46
1:C:89:ARG:O	1:C:164:LEU:HB2	2.16	0.46
1:D:104:ASP:HB3	2:D:201:FAD:H1B	1.98	0.46
1:E:82:GLU:OE2	1:E:118:GLY:HA3	2.16	0.46
2:G:201:FAD:H2B	6:G:341:HOH:O	2.16	0.46
2:B:201:FAD:HO2A	1:H:55:SER:HG	1.57	0.45
1:E:36:VAL:O	1:E:47:GLY:HA2	2.16	0.45
1:B:125:ALA:C	6:B:306:HOH:O	2.55	0.45
1:C:36:VAL:O	1:C:47:GLY:HA2	2.17	0.45
1:A:144:HIS:CG	1:F:56:VAL:O	2.69	0.45
1:B:25:ILE:CD1	1:H:155:GLY:HA2	2.47	0.45
1:F:72:ARG:HD2	6:F:314:HOH:O	2.17	0.45
1:H:39:LEU:HD13	1:H:121:PRO:HD3	1.99	0.44
1:F:93:GLU:HB2	6:F:315:HOH:O	2.16	0.44
1:D:28:ALA:HB1	1:E:128:VAL:HG22	1.99	0.44
1:F:36:VAL:O	1:F:47:GLY:HA2	2.18	0.44
1:D:98:ARG:HG3	1:D:99:PHE:CD2	2.53	0.44
1:D:48:LEU:HB3	1:D:73:VAL:HG11	2.01	0.43
1:C:63:LEU:HD12	1:C:63:LEU:C	2.38	0.43
1:A:89:ARG:HG2	1:A:126:ASP:HA	2.00	0.43
1:F:86:ASN:HB3	1:F:127:VAL:HG11	2.01	0.42
1:H:36:VAL:O	1:H:47:GLY:HA2	2.18	0.42
1:D:36:VAL:O	1:D:47:GLY:HA2	2.19	0.42
1:A:148:ILE:HD12	1:F:8:LEU:HD23	2.01	0.42
1:H:80:ARG:HG3	1:H:82:GLU:HG2	2.02	0.42
1:A:63:LEU:C	1:A:63:LEU:HD12	2.39	0.42
1:H:80:ARG:HG3	1:H:82:GLU:CG	2.49	0.42
1:A:64:LEU:C	1:A:64:LEU:HD12	2.40	0.42
1:E:166:TYR:CE2	2:E:201:FAD:HM83	2.55	0.42
1:F:64:LEU:HD12	1:F:64:LEU:C	2.40	0.42
1:A:16:LEU:CD2	1:F:150:ALA:HB1	2.50	0.42
1:B:174:TRP:CE3	1:H:175:PRO:HG3	2.55	0.42
1:E:166:TYR:OH	1:E:169:ARG:HA	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:201:FAD:H9	2:H:201:FAD:H1'1	1.89	0.42
1:A:36:VAL:O	1:A:47:GLY:HA2	2.20	0.42
1:A:68:ASN:HB2	6:A:314:HOH:O	2.19	0.42
1:H:64:LEU:C	1:H:64:LEU:HD12	2.40	0.42
1:B:166:TYR:OH	1:B:169:ARG:HA	2.20	0.41
1:E:8:LEU:HD23	1:E:8:LEU:HA	1.94	0.41
1:H:64:LEU:HA	1:H:147:VAL:O	2.20	0.41
2:A:201:FAD:H9	2:A:201:FAD:H1'1	1.91	0.41
1:C:48:LEU:C	1:C:48:LEU:HD12	2.41	0.41
1:H:75:LYS:HA	1:H:75:LYS:HD2	1.94	0.41
1:H:89:ARG:HA	1:H:128:VAL:HG13	2.03	0.41
1:B:124:SER:O	1:B:125:ALA:HB3	2.20	0.41
1:C:48:LEU:HA	1:C:99:PHE:O	2.20	0.41
1:A:77:LEU:C	1:A:77:LEU:HD23	2.40	0.41
1:B:64:LEU:C	1:B:64:LEU:HD12	2.41	0.41
2:D:202:FAD:H9	2:D:202:FAD:H1'2	1.83	0.41
1:F:167:TRP:CZ2	1:F:168:ARG:HD2	2.56	0.41
1:H:72:ARG:HD3	6:H:303:HOH:O	2.20	0.41
1:G:166:TYR:CE2	2:G:202:FAD:HM83	2.57	0.40
1:E:166:TYR:CZ	2:E:201:FAD:HM83	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	168/199 (84%)	161 (96%)	7 (4%)	0	100 100
1	B	168/199 (84%)	157 (94%)	11 (6%)	0	100 100
1	C	170/199 (85%)	166 (98%)	4 (2%)	0	100 100
1	D	170/199 (85%)	166 (98%)	4 (2%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	E	164/199 (82%)	158 (96%)	6 (4%)	0	100	100
1	F	173/199 (87%)	165 (95%)	8 (5%)	0	100	100
1	G	170/199 (85%)	164 (96%)	6 (4%)	0	100	100
1	H	176/199 (88%)	168 (96%)	8 (4%)	0	100	100
All	All	1359/1592 (85%)	1305 (96%)	54 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	130/155 (84%)	127 (98%)	3 (2%)	50	63
1	B	131/155 (84%)	129 (98%)	2 (2%)	65	76
1	C	132/155 (85%)	127 (96%)	5 (4%)	33	43
1	D	132/155 (85%)	129 (98%)	3 (2%)	50	63
1	E	127/155 (82%)	123 (97%)	4 (3%)	40	52
1	F	133/155 (86%)	127 (96%)	6 (4%)	27	36
1	G	132/155 (85%)	128 (97%)	4 (3%)	41	52
1	H	133/155 (86%)	129 (97%)	4 (3%)	41	52
All	All	1050/1240 (85%)	1019 (97%)	31 (3%)	41	52

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	48	LEU
1	A	69	ARG
1	A	162	SER
1	B	20	ASP
1	B	124	SER
1	C	55	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	72	ARG
1	C	104	ASP
1	C	109	ASP
1	C	128	VAL
1	D	48	LEU
1	D	72	ARG
1	D	170	SER
1	E	80	ARG
1	E	82	GLU
1	E	124	SER
1	E	128	VAL
1	F	42	ASP
1	F	48	LEU
1	F	55	SER
1	F	70	ASP
1	F	75	LYS
1	F	109	ASP
1	G	48	LEU
1	G	51	SER
1	G	55	SER
1	G	126	ASP
1	H	39	LEU
1	H	51	SER
1	H	55	SER
1	H	162	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	H	68	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

28 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	PO4	D	204	-	4,4,4	0.71	0	6,6,6	0.43	0
2	FAD	B	201	-	53,58,58	0.62	0	68,89,89	0.93	4 (5%)
3	PO4	G	203	-	4,4,4	0.82	0	6,6,6	0.40	0
2	FAD	E	202	-	53,58,58	0.60	0	68,89,89	0.75	1 (1%)
3	PO4	H	204	-	4,4,4	0.66	0	6,6,6	0.41	0
2	FAD	E	201	-	53,58,58	0.63	0	68,89,89	0.95	5 (7%)
3	PO4	E	203	-	4,4,4	0.72	0	6,6,6	0.45	0
4	NAD	C	202	-	42,48,48	0.60	0	50,73,73	0.84	3 (6%)
3	PO4	A	203	-	4,4,4	0.66	0	6,6,6	0.41	0
5	NAI	H	202	-	42,48,48	0.67	1 (2%)	47,73,73	0.78	2 (4%)
2	FAD	G	201	-	53,58,58	0.62	0	68,89,89	0.90	2 (2%)
2	FAD	A	202	-	53,58,58	0.64	0	68,89,89	0.85	5 (7%)
2	FAD	A	201	-	53,58,58	0.60	0	68,89,89	0.71	2 (2%)
3	PO4	C	203	-	4,4,4	0.83	0	6,6,6	0.45	0
3	PO4	F	204	-	4,4,4	0.59	0	6,6,6	0.44	0
2	FAD	G	202	-	53,58,58	0.64	0	68,89,89	0.78	2 (2%)
2	FAD	D	202	-	53,58,58	0.61	0	68,89,89	0.78	2 (2%)
2	FAD	B	202	-	53,58,58	0.64	0	68,89,89	0.71	1 (1%)
2	FAD	F	202	-	36,38,58	0.62	0	51,58,89	0.69	0
2	FAD	H	201	-	36,38,58	0.62	0	51,58,89	0.70	0
2	FAD	F	201	-	53,58,58	0.64	0	68,89,89	0.88	2 (2%)
3	PO4	C	204	-	4,4,4	0.70	0	6,6,6	0.45	0
2	FAD	C	201	-	44,47,58	0.57	0	61,72,89	0.65	0
3	PO4	F	203	-	4,4,4	0.62	0	6,6,6	0.43	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	PO4	D	203	-	4,4,4	0.69	0	6,6,6	0.43	0
3	PO4	B	203	-	4,4,4	0.69	0	6,6,6	0.42	0
3	PO4	H	203	-	4,4,4	0.68	0	6,6,6	0.45	0
2	FAD	D	201	-	53,58,58	0.66	0	68,89,89	1.00	4 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	C	201	-	-	9/30/46/50	0/4/4/6
2	FAD	B	201	-	-	6/30/50/50	0/6/6/6
2	FAD	D	202	-	-	13/30/50/50	0/6/6/6
2	FAD	B	202	-	-	5/30/50/50	0/6/6/6
2	FAD	E	201	-	-	1/30/50/50	0/6/6/6
2	FAD	F	202	-	-	4/27/27/50	0/3/3/6
2	FAD	G	202	-	-	11/30/50/50	0/6/6/6
2	FAD	E	202	-	-	1/30/50/50	0/6/6/6
2	FAD	H	201	-	-	6/27/27/50	0/3/3/6
4	NAD	C	202	-	-	11/26/62/62	0/5/5/5
2	FAD	F	201	-	-	11/30/50/50	0/6/6/6
5	NAI	H	202	-	-	14/25/72/72	0/5/5/5
2	FAD	G	201	-	-	10/30/50/50	0/6/6/6
2	FAD	A	202	-	-	5/30/50/50	0/6/6/6
2	FAD	A	201	-	-	4/30/50/50	0/6/6/6
2	FAD	D	201	-	-	9/30/50/50	0/6/6/6

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	H	202	NAI	C8A-N7A	-2.03	1.31	1.34

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	201	FAD	P-O3P-PA	3.56	145.03	132.83
2	F	201	FAD	C1'-C2'-C3'	3.20	118.72	109.79

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	201	FAD	P-O3P-PA	-2.97	122.64	132.83
2	D	201	FAD	C1'-C2'-C3'	2.72	117.39	109.79
4	C	202	NAD	C3D-C2D-C1D	2.71	105.06	100.98
2	A	202	FAD	O5'-C5'-C4'	2.65	116.44	109.36
2	E	201	FAD	C1'-C2'-C3'	2.61	117.07	109.79
5	H	202	NAI	C3D-C2D-C1D	2.53	106.22	101.43
2	G	202	FAD	C5A-C6A-N6A	2.45	124.07	120.35
2	D	202	FAD	C5A-C6A-N6A	2.44	124.06	120.35
2	B	201	FAD	C3B-C2B-C1B	2.38	104.56	100.98
2	E	201	FAD	C5A-C6A-N6A	2.36	123.94	120.35
2	G	201	FAD	C5A-C6A-N6A	2.30	123.85	120.35
4	C	202	NAD	C6N-N1N-C2N	-2.28	119.90	121.97
2	G	202	FAD	P-O3P-PA	-2.27	125.04	132.83
2	B	201	FAD	C5A-C6A-N6A	2.26	123.79	120.35
2	E	202	FAD	C5A-C6A-N6A	2.22	123.72	120.35
2	A	201	FAD	C5A-C6A-N6A	2.21	123.71	120.35
4	C	202	NAD	C5A-C6A-N6A	2.19	123.69	120.35
2	E	201	FAD	C4-N3-C2	-2.13	121.71	125.64
2	D	201	FAD	O3'-C3'-C4'	2.12	113.92	108.81
2	E	201	FAD	P-O3P-PA	-2.11	125.58	132.83
2	A	202	FAD	P-O3P-PA	-2.09	125.65	132.83
2	A	202	FAD	C4-N3-C2	-2.09	121.79	125.64
2	D	201	FAD	C5A-C6A-N6A	2.08	123.51	120.35
2	F	201	FAD	C5A-C6A-N6A	2.06	123.48	120.35
5	H	202	NAI	C5A-C6A-N6A	2.06	123.47	120.35
2	B	202	FAD	C5A-C6A-N6A	2.05	123.47	120.35
2	A	202	FAD	C5A-C6A-N6A	2.05	123.46	120.35
2	A	202	FAD	C1'-C2'-C3'	2.05	115.50	109.79
2	D	202	FAD	C4-N3-C2	-2.04	121.87	125.64
2	B	201	FAD	C1'-C2'-C3'	2.04	115.49	109.79
2	D	201	FAD	C4-N3-C2	-2.01	121.92	125.64
2	A	201	FAD	C4-N3-C2	-2.01	121.92	125.64
2	E	201	FAD	O5'-C5'-C4'	2.01	114.72	109.36

There are no chirality outliers.

All (120) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	201	FAD	C5B-O5B-PA-O1A
2	A	201	FAD	C5B-O5B-PA-O3P
2	A	202	FAD	C3'-C4'-C5'-O5'
2	A	202	FAD	O4'-C4'-C5'-O5'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	201	FAD	C3'-C4'-C5'-O5'
2	B	201	FAD	O4'-C4'-C5'-O5'
2	B	201	FAD	C5'-O5'-P-O2P
2	B	202	FAD	C5B-O5B-PA-O1A
2	B	202	FAD	C5B-O5B-PA-O3P
2	C	201	FAD	C5B-O5B-PA-O1A
2	C	201	FAD	C5B-O5B-PA-O2A
2	C	201	FAD	C5B-O5B-PA-O3P
2	D	201	FAD	N10-C1'-C2'-O2'
2	D	201	FAD	C2'-C3'-C4'-O4'
2	D	201	FAD	C2'-C3'-C4'-C5'
2	D	201	FAD	C3'-C4'-C5'-O5'
2	D	202	FAD	O3'-C3'-C4'-C5'
2	D	202	FAD	C3'-C4'-C5'-O5'
2	D	202	FAD	O4'-C4'-C5'-O5'
2	D	202	FAD	C5'-O5'-P-O2P
2	D	202	FAD	C5'-O5'-P-O3P
2	E	201	FAD	PA-O3P-P-O5'
2	F	201	FAD	C5B-O5B-PA-O2A
2	F	201	FAD	C5B-O5B-PA-O3P
2	F	201	FAD	C2'-C3'-C4'-O4'
2	F	201	FAD	O3'-C3'-C4'-O4'
2	F	201	FAD	O3'-C3'-C4'-C5'
2	G	201	FAD	C5B-O5B-PA-O1A
2	G	201	FAD	C5B-O5B-PA-O3P
2	G	201	FAD	C3'-C4'-C5'-O5'
2	G	201	FAD	O4'-C4'-C5'-O5'
2	G	201	FAD	C5'-O5'-P-O3P
2	G	202	FAD	C3'-C4'-C5'-O5'
2	G	202	FAD	O4'-C4'-C5'-O5'
2	G	202	FAD	C5'-O5'-P-O1P
2	G	202	FAD	C5'-O5'-P-O2P
4	C	202	NAD	C5B-O5B-PA-O1A
4	C	202	NAD	PN-O3-PA-O5B
4	C	202	NAD	C5D-O5D-PN-O3
5	H	202	NAI	C5B-O5B-PA-O1A
5	H	202	NAI	C5B-O5B-PA-O2A
5	H	202	NAI	C5B-O5B-PA-O3
5	H	202	NAI	C5D-O5D-PN-O2N
5	H	202	NAI	O4D-C1D-N1N-C6N
2	D	201	FAD	O3'-C3'-C4'-O4'
2	D	202	FAD	O3'-C3'-C4'-O4'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	H	202	NAI	O4D-C4D-C5D-O5D
5	H	202	NAI	C3D-C4D-C5D-O5D
2	D	202	FAD	C2'-C3'-C4'-O4'
2	D	201	FAD	O3'-C3'-C4'-C5'
2	D	202	FAD	C2'-C3'-C4'-C5'
2	F	201	FAD	C2'-C3'-C4'-C5'
2	D	202	FAD	O4B-C4B-C5B-O5B
2	D	202	FAD	C3B-C4B-C5B-O5B
2	F	201	FAD	O4B-C4B-C5B-O5B
2	F	201	FAD	C3B-C4B-C5B-O5B
4	C	202	NAD	O4D-C4D-C5D-O5D
4	C	202	NAD	C3D-C4D-C5D-O5D
5	H	202	NAI	O4B-C4B-C5B-O5B
5	H	202	NAI	C3B-C4B-C5B-O5B
2	D	201	FAD	O4'-C4'-C5'-O5'
2	G	202	FAD	C2'-C3'-C4'-O4'
2	G	202	FAD	O3'-C3'-C4'-O4'
2	C	201	FAD	C2'-C3'-C4'-O4'
2	F	202	FAD	C3'-C4'-C5'-O5'
2	A	202	FAD	C2'-C3'-C4'-C5'
2	G	202	FAD	C2'-C3'-C4'-C5'
2	F	202	FAD	C5B-O5B-PA-O1A
5	H	202	NAI	C2D-C1D-N1N-C2N
2	H	201	FAD	C2'-C3'-C4'-O4'
2	D	202	FAD	C2'-C1'-N10-C10
2	F	202	FAD	O4'-C4'-C5'-O5'
2	A	202	FAD	PA-O3P-P-O5'
2	D	202	FAD	PA-O3P-P-O5'
4	C	202	NAD	PA-O3-PN-O5D
5	H	202	NAI	PA-O3-PN-O5D
2	C	201	FAD	C2'-C3'-C4'-C5'
2	H	201	FAD	C5B-O5B-PA-O1A
2	B	201	FAD	C5'-O5'-P-O3P
5	H	202	NAI	C5D-O5D-PN-O3
2	H	201	FAD	PA-O3P-P-O1P
2	H	201	FAD	C2'-C3'-C4'-C5'
2	D	202	FAD	C4'-C5'-O5'-P
2	A	201	FAD	C5B-O5B-PA-O2A
2	B	201	FAD	C5'-O5'-P-O1P
2	B	202	FAD	C5B-O5B-PA-O2A
2	F	201	FAD	C5B-O5B-PA-O1A
2	F	201	FAD	C3'-C4'-C5'-O5'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	G	201	FAD	C5B-O5B-PA-O2A
2	G	201	FAD	C5'-O5'-P-O2P
4	C	202	NAD	C5B-O5B-PA-O2A
4	C	202	NAD	C5D-O5D-PN-O1N
5	H	202	NAI	C5D-O5D-PN-O1N
2	D	201	FAD	N10-C1'-C2'-C3'
2	G	202	FAD	O3'-C3'-C4'-C5'
5	H	202	NAI	C2D-C1D-N1N-C6N
4	C	202	NAD	C4D-C5D-O5D-PN
2	C	201	FAD	P-O3P-PA-O2A
2	C	201	FAD	O3'-C3'-C4'-O4'
2	H	201	FAD	O3'-C3'-C4'-O4'
2	B	202	FAD	C2'-C3'-C4'-O4'
2	F	202	FAD	C2'-C3'-C4'-O4'
2	C	201	FAD	P-O3P-PA-O1A
2	G	201	FAD	P-O3P-PA-O1A
2	G	201	FAD	P-O3P-PA-O2A
2	G	201	FAD	C2'-C3'-C4'-C5'
2	F	201	FAD	O4'-C4'-C5'-O5'
2	C	201	FAD	O4B-C4B-C5B-O5B
2	G	202	FAD	C5'-O5'-P-O3P
4	C	202	NAD	C5B-O5B-PA-O3
2	A	201	FAD	C2'-C3'-C4'-O4'
2	B	201	FAD	PA-O3P-P-O1P
2	G	202	FAD	P-O3P-PA-O1A
2	G	202	FAD	P-O3P-PA-O2A
2	H	201	FAD	PA-O3P-P-O2P
4	C	202	NAD	PN-O3-PA-O1A
2	B	202	FAD	O3'-C3'-C4'-O4'
2	D	201	FAD	C5B-O5B-PA-O1A
2	E	202	FAD	C5B-O5B-PA-O1A
2	A	202	FAD	O3'-C3'-C4'-C5'

There are no ring outliers.

12 monomers are involved in 30 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	201	FAD	7	0
2	E	202	FAD	1	0
2	E	201	FAD	7	0
4	C	202	NAD	1	0
5	H	202	NAI	5	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	G	201	FAD	1	0
2	A	201	FAD	1	0
2	G	202	FAD	1	0
2	D	202	FAD	2	0
2	H	201	FAD	1	0
2	F	201	FAD	2	0
2	D	201	FAD	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.
















































































5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	170/199 (85%)	0.06	7 (4%) 37 34	10, 20, 45, 61	2 (1%)
1	B	171/199 (85%)	0.16	7 (4%) 37 34	12, 20, 42, 50	2 (1%)
1	C	172/199 (86%)	0.09	9 (5%) 27 24	10, 20, 38, 47	2 (1%)
1	D	172/199 (86%)	-0.08	7 (4%) 37 34	12, 21, 38, 51	2 (1%)
1	E	168/199 (84%)	-0.15	3 (1%) 68 65	12, 21, 37, 69	2 (1%)
1	F	175/199 (87%)	0.08	11 (6%) 20 16	11, 22, 43, 53	2 (1%)
1	G	172/199 (86%)	-0.16	5 (2%) 51 47	10, 17, 33, 46	2 (1%)
1	H	178/199 (89%)	0.18	14 (7%) 12 9	12, 22, 44, 56	2 (1%)
All	All	1378/1592 (86%)	0.02	63 (4%) 32 30	10, 20, 41, 69	16 (1%)

All (63) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	14	PRO	4.9
1	B	175	PRO	4.0
1	F	104	ASP	3.9
1	C	14	PRO	3.9
1	B	13	ALA	3.9
1	A	174	TRP	3.8
1	A	13	ALA	3.7
1	G	175	PRO	3.4
1	A	14	PRO	3.3
1	D	41	PRO	3.3
1	C	41	PRO	3.2
1	G	125	ALA	3.1
1	H	14	PRO	3.0
1	A	161	PRO	3.0
1	D	176	VAL	2.9
1	H	177	GLU	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	12	LEU	2.9
1	F	41	PRO	2.9
1	F	176	VAL	2.8
1	B	11	ASP	2.8
1	C	104	ASP	2.8
1	E	158	PRO	2.7
1	F	13	ALA	2.7
1	C	116	SER	2.7
1	H	12	LEU	2.7
1	C	105	ASP	2.7
1	D	14	PRO	2.7
1	B	41	PRO	2.6
1	H	11	ASP	2.6
1	A	12	LEU	2.6
1	E	14	PRO	2.6
1	F	109	ASP	2.6
1	C	102	PRO	2.5
1	H	173	ARG	2.5
1	H	70	ASP	2.5
1	H	178	GLU	2.4
1	A	158	PRO	2.4
1	D	42	ASP	2.4
1	G	42	ASP	2.4
1	H	13	ALA	2.4
1	A	9	PRO	2.3
1	D	104	ASP	2.3
1	H	176	VAL	2.3
1	B	7	SER	2.3
1	C	13	ALA	2.3
1	D	175	PRO	2.2
1	H	41	PRO	2.2
1	G	124	SER	2.2
1	F	18	ASP	2.1
1	F	11	ASP	2.1
1	H	52	ALA	2.1
1	F	12	LEU	2.1
1	C	124	SER	2.1
1	F	42	ASP	2.1
1	D	118	GLY	2.1
1	H	108	ARG	2.1
1	E	126	ASP	2.1
1	H	175	PRO	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	42	ASP	2.0
1	C	20	ASP	2.0
1	G	41	PRO	2.0
1	F	40	GLY	2.0
1	F	72	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	NAI	H	202	44/44	0.82	0.23	28,44,55,57	0
2	FAD	F	201	53/53	0.87	0.19	28,34,47,50	0
2	FAD	D	202	53/53	0.90	0.18	22,31,52,55	0
2	FAD	B	201	53/53	0.90	0.18	13,20,29,34	0
2	FAD	B	202	53/53	0.90	0.18	9,14,49,52	0
4	NAD	C	202	44/44	0.91	0.14	24,35,47,51	0
2	FAD	D	201	53/53	0.92	0.16	13,17,37,39	0
2	FAD	G	201	53/53	0.92	0.17	8,13,51,52	0
3	PO4	D	203	5/5	0.92	0.20	42,42,43,45	0
2	FAD	C	201	44/53	0.92	0.15	10,14,35,36	0
2	FAD	E	202	53/53	0.92	0.16	12,16,62,65	0
2	FAD	A	201	53/53	0.93	0.16	9,13,51,52	0
2	FAD	E	201	53/53	0.93	0.14	17,18,23,26	0
3	PO4	A	203	5/5	0.94	0.14	43,43,46,47	0
3	PO4	C	203	5/5	0.94	0.16	43,44,46,46	0
2	FAD	F	202	36/53	0.94	0.12	14,16,39,41	0
3	PO4	F	204	5/5	0.94	0.21	44,45,46,46	0
2	FAD	A	202	53/53	0.94	0.14	14,16,27,32	0


Continued on next page...


Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	FAD	G	202	53/53	0.94	0.13	14,15,27,31	0
3	PO4	E	203	5/5	0.95	0.11	44,46,47,48	0
2	FAD	H	201	36/53	0.95	0.12	11,13,32,37	0
3	PO4	H	204	5/5	0.96	0.23	39,39,40,42	0
3	PO4	B	203	5/5	0.96	0.13	39,39,40,41	0
3	PO4	D	204	5/5	0.96	0.23	38,38,40,41	0
3	PO4	H	203	5/5	0.97	0.08	52,53,54,54	0
3	PO4	G	203	5/5	0.97	0.11	33,33,34,35	0
3	PO4	C	204	5/5	0.98	0.12	31,31,32,32	0
3	PO4	F	203	5/5	0.98	0.11	42,43,43,44	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







































































6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.