



Full wwPDB EM Validation Report ⓘ

Apr 25, 2026 – 10:57 PM EDT

PDB ID : 9PE5 / pdb_00009pe5
EMDB ID : EMD-71554
Title : Structure of beta-1,3-glucan synthase from *Saccharomyces cerevisiae* (ScFks1) at the catalytically less relevant L1 state
Authors : Ren, Z.; Lee, S.Y.
Deposited on : 2025-07-01
Resolution : 2.80 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	11806 (2.30 - 3.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1931	 72% 6% 22%
2	B	3	 67% 33%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 24161 atoms, of which 11913 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 1,3-beta-glucan synthase component FKS1.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	A	1502	Total	C	H	N	O	S	0	0
			23252	7736	11406	2000	2043	67		

There are 55 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1877	LEU	-	expression tag	UNP P38631
A	1878	GLU	-	expression tag	UNP P38631
A	1879	VAL	-	expression tag	UNP P38631
A	1880	LEU	-	expression tag	UNP P38631
A	1881	PHE	-	expression tag	UNP P38631
A	1882	GLN	-	expression tag	UNP P38631
A	1883	GLY	-	expression tag	UNP P38631
A	1884	PRO	-	expression tag	UNP P38631
A	1885	ALA	-	expression tag	UNP P38631
A	1886	ALA	-	expression tag	UNP P38631
A	1887	ALA	-	expression tag	UNP P38631
A	1888	GLY	-	expression tag	UNP P38631
A	1889	SER	-	expression tag	UNP P38631
A	1890	ALA	-	expression tag	UNP P38631
A	1891	GLY	-	expression tag	UNP P38631
A	1892	SER	-	expression tag	UNP P38631
A	1893	ALA	-	expression tag	UNP P38631
A	1894	ALA	-	expression tag	UNP P38631
A	1895	GLY	-	expression tag	UNP P38631
A	1896	SER	-	expression tag	UNP P38631
A	1897	GLY	-	expression tag	UNP P38631
A	1898	GLU	-	expression tag	UNP P38631
A	1899	PHE	-	expression tag	UNP P38631
A	1900	ASP	-	expression tag	UNP P38631
A	1901	TYR	-	expression tag	UNP P38631
A	1902	LYS	-	expression tag	UNP P38631
A	1903	ASP	-	expression tag	UNP P38631
A	1904	HIS	-	expression tag	UNP P38631

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	1905	ASP	-	expression tag	UNP P38631
A	1906	GLY	-	expression tag	UNP P38631
A	1907	ASP	-	expression tag	UNP P38631
A	1908	TYR	-	expression tag	UNP P38631
A	1909	LYS	-	expression tag	UNP P38631
A	1910	ASP	-	expression tag	UNP P38631
A	1911	HIS	-	expression tag	UNP P38631
A	1912	ASP	-	expression tag	UNP P38631
A	1913	ILE	-	expression tag	UNP P38631
A	1914	ASP	-	expression tag	UNP P38631
A	1915	TYR	-	expression tag	UNP P38631
A	1916	LYS	-	expression tag	UNP P38631
A	1917	ASP	-	expression tag	UNP P38631
A	1918	ASP	-	expression tag	UNP P38631
A	1919	ASP	-	expression tag	UNP P38631
A	1920	ASP	-	expression tag	UNP P38631
A	1921	LYS	-	expression tag	UNP P38631
A	1922	HIS	-	expression tag	UNP P38631
A	1923	HIS	-	expression tag	UNP P38631
A	1924	HIS	-	expression tag	UNP P38631
A	1925	HIS	-	expression tag	UNP P38631
A	1926	HIS	-	expression tag	UNP P38631
A	1927	HIS	-	expression tag	UNP P38631
A	1928	HIS	-	expression tag	UNP P38631
A	1929	HIS	-	expression tag	UNP P38631
A	1930	HIS	-	expression tag	UNP P38631
A	1931	HIS	-	expression tag	UNP P38631

- Molecule 2 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
2	B	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 3 is CHOLESTEROL HEMISUCCINATE (CCD ID: Y01) (formula: C₃₁H₅₀O₄).




- Molecule 4 is 1,2-Distearoyl-sn-glycerophosphoethanolamine (CCD ID: 3PE) (formula: $C_{41}H_{82}NO_8P$).




Mol	Chain	Residues	Atoms						AltConf
4	A	1	Total	C	H	N	O	P	0
			125	39	76	1	8	1	


- Molecule 5 is Lauryl Maltose Neopentyl Glycol (CCD ID: LMN) (formula: $C_{47}H_{88}O_{22}$).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	H	O	
5	A	1	157	47	88	22	0



● Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	68546	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2200	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOCONTINUUM (6k x 4k)	Depositor
Maximum map value	1.277	Depositor
Minimum map value	-0.712	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.035	Depositor
Recommended contour level	0.104	Depositor
Map size (Å)	264.64, 264.64, 264.64	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.827, 0.827, 0.827	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, 3PE, NAG, Y01, LMN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.19	0/12159	0.30	0/16534

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	11846	11406	11485	71	0
2	B	39	0	34	3	0
3	A	245	343	343	10	0
4	A	49	76	75	0	0
5	A	69	88	88	0	0
All	All	12248	11913	12025	82	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (82) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:2:NAG:H62	2:B:3:BMA:H2	1.48	0.94
1:A:1614:LEU:HD11	1:A:1730:LEU:HD21	1.76	0.66
1:A:1053:ASP:OD1	1:A:1054:GLY:N	2.29	0.65
1:A:694:LEU:HD12	1:A:1368:ILE:HG21	1.79	0.65
1:A:1450:ILE:O	1:A:1746:LEU:HD21	1.98	0.64
1:A:1383:LEU:HD22	1:A:1776:PRO:HD3	1.85	0.58
1:A:671:VAL:HG12	1:A:671:VAL:O	2.04	0.57
1:A:1154:ARG:NH1	1:A:1156:TYR:O	2.37	0.57
1:A:650:ILE:HG21	1:A:1347:ASN:O	2.05	0.56
3:A:2002:Y01:HAC1	3:A:2002:Y01:HAU2	1.87	0.56
1:A:505:LEU:HD23	3:A:2008:Y01:HAJ2	1.90	0.53
1:A:1219:LEU:HD12	1:A:1269:GLN:CG	2.38	0.53
3:A:2003:Y01:HAU2	3:A:2003:Y01:HAC1	1.91	0.53
2:B:1:NAG:H62	2:B:2:NAG:HN2	1.74	0.53
1:A:473:THR:HG21	1:A:652:SER:OG	2.10	0.52
1:A:1450:ILE:O	1:A:1450:ILE:HG22	2.10	0.52
1:A:1616:VAL:HG21	1:A:1649:VAL:HG11	1.92	0.52
1:A:1808:LEU:C	1:A:1808:LEU:HD23	2.35	0.52
1:A:1390:PHE:CZ	1:A:1394:LEU:HD11	2.45	0.51
3:A:2008:Y01:HAC1	3:A:2008:Y01:HAU2	1.92	0.51
1:A:443:ARG:NH1	1:A:1562:MET:HE2	2.25	0.51
1:A:1227:MET:HE2	1:A:1274:GLU:HB3	1.91	0.51
1:A:1294:HIS:HB2	1:A:1295:PRO:HD3	1.93	0.50
1:A:1523:ILE:HD12	1:A:1523:ILE:H	1.76	0.50
1:A:1450:ILE:HG22	1:A:1746:LEU:HD21	1.93	0.49
1:A:1614:LEU:HD11	1:A:1730:LEU:CD2	2.42	0.49
1:A:1748:HIS:ND1	1:A:1807:VAL:HG11	2.28	0.49
1:A:1199:ILE:HG23	1:A:1204:MET:HG3	1.93	0.49
1:A:1560:LEU:C	1:A:1560:LEU:HD23	2.38	0.49
1:A:1435:ARG:NH1	1:A:1493:GLN:O	2.45	0.48
1:A:771:HIS:ND1	1:A:808:PHE:O	2.46	0.48
1:A:1596:VAL:HG12	1:A:1597:ASN:N	2.28	0.47
1:A:171:LEU:HD23	1:A:336:LEU:HD21	1.96	0.47
2:B:2:NAG:H62	2:B:3:BMA:C2	2.31	0.47
1:A:734:ILE:HG22	1:A:734:ILE:O	2.14	0.47
1:A:315:ALA:HB3	1:A:319:ARG:HG3	1.97	0.46
1:A:1560:LEU:HD23	1:A:1560:LEU:O	2.15	0.46
1:A:707:LYS:O	1:A:712:GLY:N	2.49	0.46
3:A:2003:Y01:HAC1	3:A:2003:Y01:CAU	2.45	0.46
1:A:1465:VAL:HG12	1:A:1670:VAL:HG22	1.96	0.46
3:A:2009:Y01:HAU2	3:A:2009:Y01:HAC1	1.98	0.46
1:A:1344:GLY:HA3	1:A:1855:MET:HG2	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:180:ASP:OD1	1:A:183:ARG:NH1	2.49	0.46
1:A:323:GLU:HG3	1:A:398:TRP:CD1	2.51	0.46
1:A:1153:ALA:HB3	1:A:1196:PRO:HB2	1.97	0.46
1:A:687:LEU:HD11	1:A:1358:TYR:CD1	2.52	0.45
3:A:2004:Y01:HAC1	3:A:2004:Y01:HAU2	1.99	0.45
1:A:382:ARG:NH2	1:A:386:LYS:O	2.50	0.45
1:A:1614:LEU:CD1	1:A:1730:LEU:HD21	2.44	0.45
1:A:1485:ALA:HA	1:A:1488:VAL:HG12	1.97	0.44
3:A:2001:Y01:OAG	3:A:2001:Y01:CAV	2.65	0.44
1:A:1219:LEU:HD12	1:A:1269:GLN:HG3	1.99	0.44
1:A:1076:PRO:HG2	1:A:1077:ILE:HD12	1.99	0.44
1:A:794:THR:HG1	1:A:808:PHE:HE1	1.66	0.44
1:A:853:ILE:HG23	1:A:1021:LEU:HD11	2.00	0.43
1:A:1462:PHE:HE1	1:A:1670:VAL:HG12	1.83	0.43
1:A:146:GLU:OE1	1:A:146:GLU:N	2.49	0.43
1:A:1439:SER:HG	1:A:1509:TRP:CG	2.36	0.43
1:A:1445:PHE:HB2	1:A:1450:ILE:HD11	2.00	0.43
1:A:1763:ILE:HG23	1:A:1764:ASP:N	2.32	0.43
1:A:335:TYR:O	1:A:338:SER:OG	2.32	0.43
1:A:1193:TYR:CB	1:A:1222:ASP:O	2.66	0.43
1:A:1464:THR:HG23	1:A:1468:TRP:CE3	2.54	0.43
1:A:473:THR:HG23	1:A:474:PHE:CD1	2.54	0.42
1:A:1808:LEU:HD23	1:A:1808:LEU:O	2.19	0.42
1:A:843:THR:OG1	1:A:1094:ARG:O	2.35	0.42
1:A:1219:LEU:HD23	1:A:1224:TYR:HA	2.00	0.42
1:A:1381:ARG:O	1:A:1381:ARG:HD3	2.20	0.42
1:A:1462:PHE:HA	1:A:1673:LEU:HD23	2.01	0.42
1:A:1180:PHE:HA	1:A:1183:THR:HG22	2.01	0.41
1:A:862:ARG:O	1:A:871:THR:HG22	2.19	0.41
1:A:1470:ALA:N	1:A:1471:PRO:HD2	2.35	0.41
1:A:1755:LEU:N	1:A:1756:PRO:HD2	2.36	0.41
1:A:193:LEU:HD23	1:A:209:LEU:HD12	2.02	0.41
1:A:527:HIS:HD2	1:A:601:VAL:HG13	1.86	0.41
1:A:1390:PHE:O	1:A:1393:HIS:HB3	2.21	0.41
1:A:318:VAL:O	1:A:318:VAL:HG12	2.20	0.41
1:A:1219:LEU:HD12	1:A:1269:GLN:HG2	2.03	0.41
1:A:1334:LYS:N	1:A:1335:PRO:CD	2.84	0.41
3:A:2008:Y01:HAD2	3:A:2008:Y01:HAS2	1.97	0.41
1:A:498:LEU:CD2	1:A:546:ILE:HG21	2.51	0.41
1:A:686:ILE:HD11	3:A:2001:Y01:HAK2	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1470/1931 (76%)	1438 (98%)	32 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1206/1663 (72%)	1203 (100%)	3 (0%)	87	96

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	477	HIS
1	A	1088	HIS
1	A	1785	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	156	GLN
1	A	188	HIS
1	A	363	HIS
1	A	384	HIS
1	A	848	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1105	GLN
1	A	1142	GLN
1	A	1146	HIS
1	A	1220	ASN
1	A	1492	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

3 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	B	1	2,1	14,14,15	0.39	0	17,19,21	0.79	1 (5%)
2	NAG	B	2	2	14,14,15	0.36	0	17,19,21	0.76	0
2	BMA	B	3	2	11,11,12	0.29	0	15,15,17	0.54	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	B	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	B	2	2	-	0/6/23/26	0/1/1/1
2	BMA	B	3	2	-	0/2/19/22	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
2	B	1	NAG	C1-C2-N2	2.28	114.03	110.43

There are no chirality outliers.


There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	3	BMA	2	0
2	B	2	NAG	3	0
2	B	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	Y01	A	2008	-	38,38,38	1.06	2 (5%)	57,57,57	2.41	15 (26%)
3	Y01	A	2001	-	38,38,38	1.06	2 (5%)	57,57,57	2.34	14 (24%)
3	Y01	A	2003	-	38,38,38	1.09	3 (7%)	57,57,57	2.41	16 (28%)
4	3PE	A	2005	-	48,48,50	0.49	0	51,53,55	0.46	0
3	Y01	A	2004	-	38,38,38	1.08	3 (7%)	57,57,57	2.41	15 (26%)
3	Y01	A	2006	-	38,38,38	1.12	2 (5%)	57,57,57	2.63	18 (31%)
3	Y01	A	2009	-	38,38,38	1.10	2 (5%)	57,57,57	2.39	16 (28%)
5	LMN	A	2007	-	72,72,72	0.12	0	92,98,98	0.28	0
3	Y01	A	2002	-	38,38,38	1.05	3 (7%)	57,57,57	2.60	13 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	Y01	A	2008	-	-	7/19/77/77	0/4/4/4
3	Y01	A	2001	-	-	10/19/77/77	0/4/4/4
3	Y01	A	2003	-	-	6/19/77/77	0/4/4/4
4	3PE	A	2005	-	-	13/52/52/54	-
3	Y01	A	2004	-	-	5/19/77/77	0/4/4/4
3	Y01	A	2006	-	-	9/19/77/77	0/4/4/4
3	Y01	A	2009	-	-	13/19/77/77	0/4/4/4
5	LMN	A	2007	-	-	17/50/130/130	0/4/4/4
3	Y01	A	2002	-	-	6/19/77/77	0/4/4/4

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	2001	Y01	OAW-CAY	3.37	1.43	1.34
3	A	2009	Y01	OAW-CAY	3.34	1.43	1.34
3	A	2004	Y01	OAW-CAY	3.29	1.43	1.34
3	A	2006	Y01	OAW-CAY	3.25	1.43	1.34
3	A	2003	Y01	OAW-CAY	3.20	1.43	1.34
3	A	2002	Y01	OAW-CAY	3.18	1.43	1.34
3	A	2008	Y01	OAW-CAY	3.08	1.43	1.34
3	A	2002	Y01	OAH-CAX	-2.89	1.21	1.30
3	A	2009	Y01	OAH-CAX	-2.87	1.21	1.30
3	A	2001	Y01	OAH-CAX	-2.86	1.21	1.30
3	A	2003	Y01	OAH-CAX	-2.85	1.21	1.30
3	A	2004	Y01	OAH-CAX	-2.85	1.21	1.30
3	A	2006	Y01	OAH-CAX	-2.84	1.21	1.30
3	A	2008	Y01	OAH-CAX	-2.82	1.21	1.30
3	A	2003	Y01	CAK-CAI	2.07	1.54	1.50
3	A	2002	Y01	CAK-CAI	2.06	1.54	1.50
3	A	2004	Y01	CAK-CAI	2.04	1.54	1.50

All (107) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	2001	Y01	CAT-CBH-CBF	-10.01	95.49	108.74
3	A	2004	Y01	CAT-CBH-CBF	-9.89	95.65	108.74
3	A	2008	Y01	CAT-CBH-CBF	-9.75	95.84	108.74
3	A	2006	Y01	CAT-CBH-CBF	-9.57	96.07	108.74
3	A	2003	Y01	CAT-CBH-CBF	-9.46	96.22	108.74
3	A	2009	Y01	CAT-CBH-CBF	-8.94	96.91	108.74
3	A	2002	Y01	CAV-CAZ-CAI	8.80	132.49	120.57
3	A	2002	Y01	CAT-CBH-CBF	-7.56	98.73	108.74
3	A	2006	Y01	CAV-CAZ-CAI	7.13	130.24	120.57
3	A	2004	Y01	CAV-CAZ-CAI	6.96	130.00	120.57
3	A	2008	Y01	CAV-CAZ-CAI	6.93	129.96	120.57
3	A	2003	Y01	CAV-CAZ-CAI	6.80	129.79	120.57
3	A	2001	Y01	CAV-CAZ-CAI	6.67	129.60	120.57
3	A	2002	Y01	CBH-CAZ-CAI	-6.43	113.54	122.93
3	A	2006	Y01	CBH-CBF-CBD	-6.16	103.71	112.71
3	A	2009	Y01	CAV-CAZ-CAI	6.09	128.82	120.57
3	A	2009	Y01	CBH-CBF-CBD	-5.91	104.07	112.71
3	A	2002	Y01	CBH-CBF-CBD	-5.62	104.50	112.71
3	A	2003	Y01	CBH-CBF-CBD	-5.56	104.59	112.71
3	A	2008	Y01	CBH-CBF-CBD	-5.37	104.86	112.71
3	A	2002	Y01	CBF-CBH-CAZ	-5.15	102.11	109.65
3	A	2004	Y01	CBH-CBF-CBD	-5.12	105.24	112.71

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	2002	Y01	CAD-CBH-CAZ	4.98	116.00	108.38
3	A	2006	Y01	CBD-CAK-CAI	-4.68	106.27	112.76
3	A	2001	Y01	CBH-CBF-CBD	-4.57	106.03	112.71
3	A	2002	Y01	CAD-CBH-CBF	4.51	116.72	111.66
3	A	2006	Y01	CAU-CAS-CBF	4.43	120.67	113.14
3	A	2009	Y01	CBD-CAK-CAI	-4.25	106.87	112.76
3	A	2009	Y01	OAW-CAY-CAM	4.18	120.52	111.48
3	A	2009	Y01	CAK-CBD-CBF	-4.10	104.99	109.72
3	A	2004	Y01	OAW-CAY-CAM	4.06	120.26	111.48
3	A	2006	Y01	OAW-CAY-CAM	4.06	120.25	111.48
3	A	2003	Y01	CBH-CAZ-CAI	-4.05	117.02	122.93
3	A	2006	Y01	CAK-CBD-CBF	-4.02	105.08	109.72
3	A	2003	Y01	CAD-CBH-CBF	4.01	116.16	111.66
3	A	2002	Y01	OAW-CAY-CAM	3.99	120.10	111.48
3	A	2008	Y01	CAD-CBH-CBF	3.98	116.12	111.66
3	A	2004	Y01	CBH-CAZ-CAI	-3.89	117.25	122.93
3	A	2009	Y01	CAD-CBH-CAZ	3.86	114.28	108.38
3	A	2003	Y01	CAU-CBI-CBE	-3.86	110.92	116.60
3	A	2004	Y01	CAU-CBI-CBE	-3.85	110.93	116.60
3	A	2006	Y01	CAV-CAZ-CBH	-3.84	111.50	116.42
3	A	2003	Y01	OAW-CAY-CAM	3.83	119.78	111.48
3	A	2004	Y01	CAD-CBH-CBF	3.80	115.92	111.66
3	A	2008	Y01	CAU-CBI-CBE	-3.79	111.02	116.60
3	A	2006	Y01	CAU-CBI-CBE	-3.78	111.03	116.60
3	A	2008	Y01	OAW-CAY-CAM	3.78	119.66	111.48
3	A	2001	Y01	CAD-CBH-CBF	3.67	115.78	111.66
3	A	2008	Y01	CAV-CAZ-CBH	-3.62	111.79	116.42
3	A	2001	Y01	CBH-CAZ-CAI	-3.55	117.74	122.93
3	A	2009	Y01	CAD-CBH-CBF	3.51	115.59	111.66
3	A	2002	Y01	CBI-CBE-CBB	-3.49	114.11	119.50
3	A	2004	Y01	CAK-CBD-CBF	-3.41	105.78	109.72
3	A	2001	Y01	OAW-CAY-CAM	3.41	118.85	111.48
3	A	2006	Y01	CAD-CBH-CAZ	3.37	113.53	108.38
3	A	2001	Y01	CAP-CBE-CBB	-3.36	107.09	112.18
3	A	2008	Y01	CAK-CBD-CBF	-3.28	105.92	109.72
3	A	2006	Y01	CAK-CBD-CBG	3.27	115.56	110.93
3	A	2008	Y01	CBI-CBE-CBB	-3.24	114.50	119.50
3	A	2008	Y01	CBH-CAZ-CAI	-3.22	118.23	122.93
3	A	2006	Y01	CBH-CAZ-CAI	-3.20	118.26	122.93
3	A	2002	Y01	CAU-CBI-CBE	-3.18	111.91	116.60
3	A	2002	Y01	CAK-CBD-CBG	3.11	115.34	110.93
3	A	2006	Y01	CAS-CAU-CBI	3.11	117.99	112.74

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	2008	Y01	CAU-CAS-CBF	3.11	118.42	113.14
3	A	2004	Y01	CAU-CAS-CBF	3.05	118.32	113.14
3	A	2002	Y01	CBF-CBD-CBG	-3.05	105.11	109.09
3	A	2009	Y01	CAV-CAZ-CBH	-3.01	112.57	116.42
3	A	2003	Y01	CAK-CBD-CBF	-3.00	106.25	109.72
3	A	2009	Y01	CAU-CBI-CBE	-3.00	112.18	116.60
3	A	2001	Y01	CAU-CAS-CBF	3.00	118.23	113.14
3	A	2003	Y01	CAP-CBE-CBI	-2.98	100.33	103.84
3	A	2009	Y01	CBH-CAZ-CAI	-2.96	118.61	122.93
3	A	2001	Y01	CAV-CAZ-CBH	-2.95	112.64	116.42
3	A	2001	Y01	CAR-CBC-CAV	-2.90	106.95	110.97
3	A	2004	Y01	CAV-CAZ-CBH	-2.87	112.74	116.42
3	A	2009	Y01	CAP-CBE-CBB	-2.82	107.91	112.18
3	A	2006	Y01	CBI-CBE-CBB	-2.81	115.16	119.50
3	A	2006	Y01	CAD-CBH-CAT	2.77	113.64	109.43
3	A	2008	Y01	CBD-CAK-CAI	-2.77	108.93	112.76
3	A	2003	Y01	CBI-CBE-CBB	-2.74	115.26	119.50
3	A	2004	Y01	CAD-CBH-CAZ	2.70	112.50	108.38
3	A	2008	Y01	CAD-CBH-CAZ	2.69	112.49	108.38
3	A	2001	Y01	CAU-CBI-CBE	-2.67	112.67	116.60
3	A	2003	Y01	CAD-CBH-CAZ	2.63	112.40	108.38
3	A	2003	Y01	CAU-CAS-CBF	2.62	117.59	113.14
3	A	2009	Y01	CBI-CBE-CBB	-2.55	115.56	119.50
3	A	2003	Y01	CAV-CAZ-CBH	-2.54	113.17	116.42
3	A	2001	Y01	CAD-CBH-CAZ	2.52	112.23	108.38
3	A	2004	Y01	CAP-CBE-CBB	-2.46	108.46	112.18
3	A	2008	Y01	CAS-CBF-CBD	2.41	115.14	111.78
3	A	2006	Y01	CAS-CBF-CBD	2.35	115.05	111.78
3	A	2006	Y01	CAD-CBH-CBF	2.34	114.29	111.66
3	A	2001	Y01	CBF-CBD-CBG	-2.30	106.08	109.09
3	A	2004	Y01	CBI-CBE-CBB	-2.29	115.96	119.50
3	A	2003	Y01	CAC-CBB-CBE	-2.28	109.46	112.88
3	A	2003	Y01	CAS-CBF-CBD	2.27	114.95	111.78
3	A	2009	Y01	CBF-CBD-CBG	2.25	112.03	109.09
3	A	2008	Y01	CAS-CBF-CBH	-2.21	110.36	113.08
3	A	2004	Y01	CAS-CBF-CBH	-2.18	110.40	113.08
3	A	2006	Y01	CAP-CBE-CBB	-2.16	108.91	112.18
3	A	2009	Y01	CAS-CBF-CBD	2.15	114.78	111.78
3	A	2004	Y01	CAS-CBF-CBD	2.14	114.76	111.78
3	A	2009	Y01	CBC-CAV-CAZ	2.10	114.56	111.45
3	A	2001	Y01	CAS-CAU-CBI	2.09	116.27	112.74
3	A	2002	Y01	CAK-CBD-CBF	2.09	112.13	109.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	2003	Y01	CAQ-CBG-CBI	-2.04	101.44	103.84

There are no chirality outliers.

All (86) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	2002	Y01	OAG-CAY-OAW-CBC
3	A	2004	Y01	CAV-CBC-OAW-CAY
3	A	2004	Y01	CAM-CAY-OAW-CBC
3	A	2006	Y01	CAM-CAY-OAW-CBC
3	A	2008	Y01	CAM-CAY-OAW-CBC
4	A	2005	3PE	C11-O13-P-O11
4	A	2005	3PE	C12-C11-O13-P
4	A	2005	3PE	O13-C11-C12-N
4	A	2005	3PE	O22-C21-O21-C2
4	A	2005	3PE	C22-C21-O21-C2
5	A	2007	LMN	CBK-CBQ-CCM-CBR
5	A	2007	LMN	CBK-CBQ-CCM-CBS
3	A	2001	Y01	CAV-CBC-OAW-CAY
3	A	2009	Y01	CAV-CBC-OAW-CAY
3	A	2004	Y01	OAG-CAY-OAW-CBC
3	A	2006	Y01	OAG-CAY-OAW-CBC
3	A	2008	Y01	OAG-CAY-OAW-CBC
3	A	2002	Y01	CAM-CAY-OAW-CBC
3	A	2001	Y01	CAJ-CAO-CBB-CAC
3	A	2003	Y01	CAJ-CAO-CBB-CBE
3	A	2004	Y01	CAJ-CAO-CBB-CBE
3	A	2009	Y01	CAJ-CAO-CBB-CBE
3	A	2006	Y01	CAJ-CAO-CBB-CBE
3	A	2003	Y01	CAJ-CAO-CBB-CAC
3	A	2006	Y01	CAN-CAJ-CAO-CBB
3	A	2008	Y01	CAO-CAJ-CAN-CBA
3	A	2006	Y01	CAJ-CAO-CBB-CAC
3	A	2002	Y01	CAN-CAJ-CAO-CBB
3	A	2002	Y01	CAV-CBC-OAW-CAY
3	A	2002	Y01	CAR-CBC-OAW-CAY
3	A	2009	Y01	CAN-CAJ-CAO-CBB
3	A	2004	Y01	CAJ-CAO-CBB-CAC
3	A	2009	Y01	CAJ-CAO-CBB-CAC
3	A	2006	Y01	CAX-CAL-CAM-CAY
3	A	2009	Y01	CAO-CAJ-CAN-CBA
3	A	2001	Y01	CAO-CAJ-CAN-CBA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	2008	Y01	CAN-CAJ-CAO-CBB
3	A	2009	Y01	CAM-CAY-OAW-CBC
3	A	2009	Y01	OAG-CAY-OAW-CBC
3	A	2003	Y01	CAJ-CAN-CBA-CAA
3	A	2006	Y01	CAJ-CAN-CBA-CAB
3	A	2003	Y01	CAJ-CAN-CBA-CAB
5	A	2007	LMN	OAL-CBP-CCF-OBX
3	A	2001	Y01	CAM-CAY-OAW-CBC
5	A	2007	LMN	OBZ-CCS-OCB-CCQ
5	A	2007	LMN	OBY-CCR-O4-C4
3	A	2006	Y01	CAJ-CAN-CBA-CAA
3	A	2009	Y01	CAR-CBC-OAW-CAY
3	A	2001	Y01	OAG-CAY-OAW-CBC
5	A	2007	LMN	CCW-CCS-OCB-CCQ
3	A	2008	Y01	CAJ-CAN-CBA-CAB
5	A	2007	LMN	CBD-CBF-CBH-CBJ
4	A	2005	3PE	C39-C3A-C3B-C3C
4	A	2005	3PE	C32-C31-O31-C3
3	A	2008	Y01	CAJ-CAN-CBA-CAA
4	A	2005	3PE	C27-C28-C29-C2A
4	A	2005	3PE	O32-C31-O31-C3
4	A	2005	3PE	C28-C29-C2A-C2B
5	A	2007	LMN	CBK-CBQ-CCM-CBT
5	A	2007	LMN	C4-C5-C6-O6
4	A	2005	3PE	C2A-C2B-C2C-C2D
3	A	2002	Y01	CAJ-CAN-CBA-CAB
5	A	2007	LMN	OBV-CBT-CCM-CBQ
5	A	2007	LMN	OBV-CBT-CCM-CBR
4	A	2005	3PE	C11-O13-P-O14
3	A	2003	Y01	CAC-CBB-CBE-CBI
3	A	2001	Y01	CAM-CAL-CAX-OAH
3	A	2009	Y01	CAM-CAL-CAX-OAH
3	A	2001	Y01	CAM-CAL-CAX-OAF
5	A	2007	LMN	CBF-CBH-CBJ-CBL
3	A	2003	Y01	CAO-CAJ-CAN-CBA
3	A	2009	Y01	CAM-CAL-CAX-OAF
5	A	2007	LMN	CCV-CCR-O4-C4
5	A	2007	LMN	O5-C5-C6-O6
5	A	2007	LMN	OBV-CBT-CCM-CBS
5	A	2007	LMN	CBI-CBK-CBQ-CCM
3	A	2001	Y01	CAJ-CAN-CBA-CAA
4	A	2005	3PE	C3B-C3C-C3D-C3E

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
5	A	2007	LMN	CAZ-CBB-CBD-CBF
3	A	2009	Y01	CAJ-CAN-CBA-CAA
3	A	2009	Y01	CAL-CAM-CAY-OAW
3	A	2001	Y01	CAL-CAM-CAY-OAW
3	A	2009	Y01	CAL-CAM-CAY-OAG
3	A	2006	Y01	CAL-CAM-CAY-OAW
3	A	2008	Y01	CAM-CAL-CAX-OAH
3	A	2001	Y01	CAL-CAM-CAY-OAG


There are no ring outliers.



6 monomers are involved in 10 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	2008	Y01	3	0
3	A	2001	Y01	2	0
3	A	2003	Y01	2	0
3	A	2004	Y01	1	0
3	A	2009	Y01	1	0
3	A	2002	Y01	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-71554. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 160




Y Index: 160




Z Index: 160


6.2.2 Raw map



X Index: 160



Y Index: 160




Z Index: 160


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 163




Y Index: 174




Z Index: 200


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.104. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_71554_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 185 nm^3 ; this corresponds to an approximate mass of 167 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.357 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.357 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.80	-	-
Author-provided FSC curve	2.67	2.95	2.71
Unmasked-calculated*	3.74	6.22	3.83

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.74 differs from the reported value 2.8 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-71554 and PDB model 9PE5. Per-residue inclusion information can be found in section [3](#) on page [7](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.104 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.104).

9.4 Atom inclusion [i](#)



At the recommended contour level, 94% of all backbone atoms, 94% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.104) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.9410	<div></div> 0.5410
A	<div></div> 0.9420	<div></div> 0.5410
B	<div></div> 0.9490	<div></div> 0.4370

