



Full wwPDB NMR Structure Validation Report i

May 29, 2020 – 11:10 am BST

PDB ID : 6S3W
Title : Solution NMR Structure of TolAIII Bound to a Peptide Derived from the N-terminus of TolB
Authors : Kleanthous, C.; Redfield, C.; Rajasekar, K.; Holmes, P.
Deposited on : 2019-06-26

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>
with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) ①) were used in the production of this report:


Cyrange	:	Kirchner and Güntert (2011)
NmrClust	:	Kelley et al. (1996)
MolProbity	:	4.02b-467
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
RCI	:	v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV	:	Wang et al. (2010)
ShiftChecker	:	2.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
SOLUTION NMR

The overall completeness of chemical shifts assignment is 87%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain				
1	B	13	23%	15%	62%		
2	A	124	18%	46%	8%	28%	

2 Ensemble composition and analysis

This entry contains 20 models. Model 3 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	B:3-B:7, A:254-A:342 (94)	0.17	3

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 2 clusters and 2 single-model clusters were found.

Cluster number	Models
1	2, 3, 4, 6, 8, 10, 11, 12, 13, 14, 19, 20
2	1, 5, 7, 9, 16, 17
Single-model clusters	15; 18

3 Entry composition [\(i\)](#)

There are 2 unique types of molecules in this entry. The entry contains 2110 atoms, of which 1056 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called TolBp.

Mol	Chain	Residues	Atoms					Trace
1	B	13	Total	C	H	N	O	0
			182	54	90	17	21	

- Molecule 2 is a protein called Cell envelope integrity/translocation protein TolA.

Mol	Chain	Residues	Atoms					Trace
2	A	124	Total	C	H	N	O	S
			1928	591	966	176	191	4

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	224	HIS	-	expression tag	UNP A0A454LZ61
A	225	MET	-	expression tag	UNP A0A454LZ61

4 Residue-property plots


4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: TolBp



- Molecule 2: Cell envelope integrity/translocation protein Tola



4.2 Scores per residue for each member of the ensemble


Colouring as in section 4.1 above.


4.2.1 Score per residue for model 1

- Molecule 1: TolBp



- Molecule 2: Cell envelope integrity/translocation protein Tola






4.2.2 Score per residue for model 2

- Molecule 1: TolBp



- Molecule 2: Cell envelope integrity/translocation protein TolA




4.2.3 Score per residue for model 3 (medoid)

- Molecule 1: TolBp



- Molecule 2: Cell envelope integrity/translocation protein TolA




4.2.4 Score per residue for model 4

- Molecule 1: TolBp



- Molecule 2: Cell envelope integrity/translocation protein TolA




4.2.5 Score per residue for model 5

- Molecule 1: TolBp



- Molecule 2: Cell envelope integrity/translocation protein TolA





4.2.6 Score per residue for model 6

- Molecule 1: TolBp




- Molecule 2: Cell envelope integrity/translocation protein TolA






4.2.7 Score per residue for model 7

- Molecule 1: TolBp




- Molecule 2: Cell envelope integrity/translocation protein TolA




4.2.8 Score per residue for model 8

- Molecule 1: TolBp



- Molecule 2: Cell envelope integrity/translocation protein TolA




4.2.9 Score per residue for model 9

- Molecule 1: TolBp



- Molecule 2: Cell envelope integrity/translocation protein TolA




4.2.10 Score per residue for model 10

- Molecule 1: TolBp



- Molecule 2: Cell envelope integrity/translocation protein TolA




4.2.11 Score per residue for model 11

- Molecule 1: TolBp



- Molecule 2: Cell envelope integrity/translocation protein TolA






4.2.12 Score per residue for model 12

- Molecule 1: TolBp



- Molecule 2: Cell envelope integrity/translocation protein TolA



4.2.13 Score per residue for model 13

- Molecule 1: TolBp




- Molecule 2: Cell envelope integrity/translocation protein TolA




4.2.14 Score per residue for model 14

- Molecule 1: TolBp



- Molecule 2: Cell envelope integrity/translocation protein TolA




4.2.15 Score per residue for model 15

- Molecule 1: TolBp



- Molecule 2: Cell envelope integrity/translocation protein TolA





4.2.16 Score per residue for model 16

- Molecule 1: TolBp



- Molecule 2: Cell envelope integrity/translocation protein TolA






4.2.17 Score per residue for model 17

- Molecule 1: TolBp



- Molecule 2: Cell envelope integrity/translocation protein TolA




4.2.18 Score per residue for model 18

- Molecule 1: TolBp



- Molecule 2: Cell envelope integrity/translocation protein TolA




4.2.19 Score per residue for model 19

- Molecule 1: TolBp



- Molecule 2: Cell envelope integrity/translocation protein TolA




4.2.20 Score per residue for model 20

- Molecule 1: TolBp



- Molecule 2: Cell envelope integrity/translocation protein TolA



5 Refinement protocol and experimental data overview i

The models were refined using the following method: *simulated annealing, molecular dynamics.*

Of the 600 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy.*

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
ARIA	structure calculation	2.3
CNS	structure calculation	1.2

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section [6](#) of this report.

Chemical shift file(s)	input_cs.cif
Number of chemical shift lists	2
Total number of shifts	1554
Number of shifts mapped to atoms	1554
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	87%

No validations of the models with respect to experimental NMR restraints is performed at this time.

COVALENT-GEOMETRY INFOmissingINFO

5.1 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	B	36	43	43	6±2
2	A	699	712	712	70±4
All	All	14700	15100	15100	1402

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 47.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models Worst	Total
2:A:272:ALA:HA	2:A:276:MET:SD	0.92	2.05	18	15
2:A:254:LEU:HB2	2:A:333:TYR:OH	0.81	1.75	17	9
2:A:258:ILE:HG13	2:A:318:ILE:HD13	0.79	1.55	13	5
2:A:281:LEU:HD11	2:A:335:GLN:HB3	0.79	1.55	12	20
2:A:336:ARG:HA	2:A:336:ARG:NE	0.78	1.91	1	1
2:A:276:MET:HG3	2:A:304:PHE:CE1	0.78	2.12	7	12
2:A:324:LEU:C	2:A:324:LEU:HD12	0.77	2.00	11	1
2:A:336:ARG:NE	2:A:336:ARG:HA	0.77	1.93	15	2
2:A:324:LEU:HD12	2:A:324:LEU:C	0.76	2.01	5	2
1:B:6:ILE:HD11	2:A:263:SER:HB3	0.75	1.57	6	9
2:A:277:SER:HA	2:A:340:PHE:O	0.72	1.83	14	20
2:A:276:MET:O	2:A:342:PRO:HD2	0.72	1.85	4	17
2:A:321:MET:N	2:A:321:MET:SD	0.70	2.63	7	4
2:A:302:LYS:HA	2:A:305:ASP:OD2	0.70	1.87	16	6
2:A:276:MET:HG3	2:A:304:PHE:CE2	0.70	2.22	2	1
2:A:321:MET:SD	2:A:321:MET:N	0.69	2.65	11	5
2:A:312:VAL:O	2:A:315:VAL:HG22	0.68	1.88	11	18
2:A:257:LEU:O	2:A:261:LEU:HG	0.68	1.89	18	20
2:A:254:LEU:O	2:A:257:LEU:HB2	0.68	1.88	5	20
2:A:336:ARG:HD3	2:A:337:ARG:N	0.67	2.04	10	1
2:A:276:MET:O	2:A:342:PRO:HD3	0.67	1.90	17	1
2:A:277:SER:O	2:A:299:SER:HB3	0.66	1.90	14	10
2:A:277:SER:HB3	2:A:341:LYS:HG3	0.66	1.66	5	5
2:A:277:SER:HB3	2:A:341:LYS:CG	0.65	2.22	8	4
2:A:282:ILE:HD11	2:A:336:ARG:HB3	0.65	1.66	3	9
2:A:282:ILE:CD1	2:A:336:ARG:HB3	0.65	2.22	3	8
2:A:283:GLU:HB2	2:A:292:ASN:CB	0.64	2.22	5	20
2:A:282:ILE:O	2:A:335:GLN:HA	0.64	1.92	8	20
2:A:318:ILE:HG22	2:A:321:MET:SD	0.64	2.32	4	6
2:A:255:ASP:HB2	2:A:336:ARG:NH2	0.64	2.08	3	9
2:A:285:LEU:HB2	2:A:286:PRO:CD	0.63	2.24	17	1
2:A:285:LEU:HD12	2:A:289:THR:O	0.62	1.94	10	4
2:A:324:LEU:HD22	2:A:328:THR:HG21	0.62	1.70	4	17
1:B:6:ILE:HD11	2:A:263:SER:CB	0.61	2.24	6	9
2:A:285:LEU:HG	2:A:286:PRO:CD	0.61	2.25	15	2
2:A:308:ALA:HB1	2:A:340:PHE:CZ	0.61	2.31	1	20
2:A:285:LEU:HG	2:A:291:THR:CG2	0.61	2.26	12	13
1:B:6:ILE:HD13	2:A:259:VAL:HG13	0.61	1.70	4	18
2:A:278:VAL:O	2:A:339:ILE:HA	0.61	1.94	18	10
2:A:310:ALA:O	2:A:314:ASN:HB2	0.61	1.96	6	19
2:A:317:ARG:O	2:A:317:ARG:HG2	0.61	1.94	19	4

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:A:277:SER:CB	2:A:341:LYS:HG3	0.61	2.26	5	2
2:A:306:SER:HA	2:A:309:VAL:CG2	0.60	2.26	14	20
2:A:282:ILE:HD11	2:A:312:VAL:HG11	0.60	1.73	4	8
2:A:282:ILE:HG22	2:A:283:GLU:N	0.60	2.12	18	9
2:A:330:ASP:O	2:A:334:ARG:HD3	0.60	1.96	19	4
2:A:289:THR:HA	2:A:317:ARG:HA	0.60	1.74	19	20
2:A:306:SER:HA	2:A:309:VAL:HG23	0.59	1.74	3	20
1:B:4:LEU:HD23	2:A:259:VAL:HG21	0.59	1.74	18	8
2:A:282:ILE:HD13	2:A:336:ARG:H	0.59	1.58	19	11
2:A:295:VAL:HG21	2:A:305:ASP:HB3	0.59	1.75	1	14
1:B:4:LEU:HB3	2:A:259:VAL:HG21	0.58	1.75	12	5
2:A:321:MET:HE1	2:A:333:TYR:CG	0.58	2.33	9	15
2:A:308:ALA:HB1	2:A:340:PHE:CE1	0.58	2.33	16	18
2:A:330:ASP:HA	2:A:334:ARG:CG	0.58	2.29	8	3
2:A:336:ARG:HH11	2:A:336:ARG:HA	0.58	1.59	10	1
2:A:282:ILE:HG12	2:A:336:ARG:O	0.58	1.98	18	7
1:B:6:ILE:HG23	2:A:340:PHE:HA	0.58	1.73	19	17
2:A:336:ARG:HD3	2:A:336:ARG:C	0.57	2.18	10	1
1:B:6:ILE:HD13	2:A:262:VAL:CG1	0.57	2.29	18	2
2:A:265:GLN:CG	2:A:314:ASN:HB3	0.57	2.30	17	14
2:A:311:ALA:O	2:A:315:VAL:HG13	0.57	2.00	3	15
2:A:285:LEU:HG	2:A:286:PRO:HD2	0.57	1.76	15	2
2:A:309:VAL:HA	2:A:312:VAL:HG22	0.56	1.77	2	20
2:A:258:ILE:CG2	2:A:338:ILE:HD11	0.56	2.30	1	7
2:A:262:VAL:O	2:A:311:ALA:HB1	0.56	2.01	20	20
2:A:320:GLU:O	2:A:323:GLN:HG3	0.56	2.00	5	5
1:B:6:ILE:CG2	2:A:340:PHE:HA	0.56	2.31	14	15
2:A:324:LEU:HD11	2:A:329:PHE:HB2	0.56	1.76	5	3
1:B:7:SER:O	2:A:342:PRO:HA	0.56	2.01	16	3
2:A:318:ILE:O	2:A:321:MET:HG2	0.55	2.02	8	2
2:A:283:GLU:HB2	2:A:292:ASN:HB3	0.55	1.78	7	18
2:A:319:PRO:HG2	2:A:320:GLU:OE2	0.55	2.02	10	1
2:A:284:MET:SD	2:A:318:ILE:HD13	0.55	2.42	11	2
2:A:332:LEU:HB2	2:A:333:TYR:CD2	0.55	2.37	10	8
2:A:285:LEU:HD12	2:A:291:THR:CG2	0.54	2.32	16	2
2:A:308:ALA:HB1	2:A:340:PHE:CE2	0.54	2.36	8	15
2:A:330:ASP:HA	2:A:334:ARG:HB2	0.54	1.80	8	3
2:A:324:LEU:HD13	2:A:328:THR:HB	0.54	1.80	11	3
2:A:279:GLU:HB3	2:A:296:SER:OG	0.54	2.03	18	7
2:A:288:GLY:CA	2:A:321:MET:HG2	0.54	2.33	4	4
2:A:288:GLY:HA2	2:A:321:MET:HG2	0.54	1.80	7	4

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:A:258:ILE:HD11	2:A:321:MET:CE	0.54	2.33	7	2
2:A:281:LEU:HD21	2:A:335:GLN:OE1	0.54	2.03	12	1
2:A:266:TRP:CH2	2:A:340:PHE:HB3	0.53	2.37	9	13
2:A:330:ASP:HA	2:A:334:ARG:HB3	0.53	1.80	19	4
2:A:289:THR:HA	2:A:316:GLY:O	0.52	2.05	20	8
2:A:331:SER:HB3	2:A:332:LEU:HG	0.52	1.82	3	20
2:A:278:VAL:HG21	2:A:305:ASP:HA	0.52	1.80	15	8
2:A:254:LEU:HB2	2:A:333:TYR:HH	0.52	1.64	12	4
2:A:255:ASP:HB2	2:A:336:ARG:CZ	0.52	2.35	3	2
2:A:315:VAL:CG2	2:A:316:GLY:N	0.52	2.73	18	14
2:A:255:ASP:HB2	2:A:336:ARG:HH21	0.51	1.65	20	1
2:A:295:VAL:HG21	2:A:305:ASP:HB2	0.51	1.83	9	6
2:A:318:ILE:HD12	2:A:318:ILE:N	0.51	2.20	3	5
2:A:280:VAL:HG12	2:A:282:ILE:HG22	0.51	1.82	14	6
2:A:324:LEU:HD22	2:A:328:THR:CG2	0.51	2.35	14	15
2:A:302:LYS:N	2:A:303:PRO:HD2	0.51	2.21	2	20
2:A:258:ILE:HG13	2:A:318:ILE:HG12	0.51	1.82	17	8
2:A:321:MET:HE1	2:A:333:TYR:CB	0.51	2.36	14	1
2:A:318:ILE:N	2:A:318:ILE:HD12	0.51	2.21	1	5
2:A:280:VAL:HG12	2:A:282:ILE:CD1	0.51	2.36	18	8
2:A:321:MET:HE3	2:A:333:TYR:CB	0.51	2.35	7	3
1:B:6:ILE:HG22	2:A:339:ILE:O	0.50	2.06	6	12
2:A:266:TRP:CG	2:A:267:ARG:N	0.50	2.79	18	19
2:A:257:LEU:O	2:A:260:ASN:HB3	0.50	2.06	19	16
2:A:301:ASP:OD2	2:A:303:PRO:HG2	0.50	2.06	5	7
2:A:308:ALA:O	2:A:311:ALA:HB3	0.50	2.07	13	20
2:A:283:GLU:O	2:A:284:MET:HG3	0.50	2.07	6	9
2:A:287:ASP:HB3	2:A:289:THR:OG1	0.49	2.07	13	2
2:A:282:ILE:HD13	2:A:282:ILE:N	0.49	2.22	12	3
2:A:282:ILE:HG21	2:A:338:ILE:HD12	0.49	1.84	16	7
2:A:282:ILE:CG2	2:A:283:GLU:N	0.49	2.76	12	9
2:A:277:SER:CB	2:A:341:LYS:HE3	0.49	2.38	9	6
2:A:282:ILE:N	2:A:282:ILE:HD13	0.49	2.23	9	5
1:B:4:LEU:HB2	2:A:259:VAL:HG21	0.49	1.84	15	1
2:A:334:ARG:HG2	2:A:335:GLN:N	0.49	2.23	19	1
2:A:334:ARG:CG	2:A:335:GLN:N	0.48	2.75	15	4
2:A:282:ILE:O	2:A:335:GLN:HG2	0.48	2.08	1	4
2:A:282:ILE:HA	2:A:293:ALA:HA	0.48	1.85	13	11
2:A:324:LEU:CD1	2:A:324:LEU:C	0.48	2.80	5	3
2:A:276:MET:CG	2:A:304:PHE:CE1	0.48	2.96	19	3
2:A:293:ALA:HB1	2:A:312:VAL:HG21	0.48	1.84	18	12

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:A:281:LEU:CD1	2:A:335:GLN:HB3	0.48	2.34	19	4
2:A:258:ILE:HD13	2:A:333:TYR:CE1	0.48	2.43	6	2
2:A:254:LEU:HD22	2:A:333:TYR:CE2	0.48	2.44	7	2
2:A:284:MET:SD	2:A:318:ILE:HD12	0.48	2.48	6	1
1:B:6:ILE:HD13	2:A:259:VAL:CG1	0.48	2.38	20	10
2:A:288:GLY:HA2	2:A:321:MET:HG3	0.48	1.85	18	7
2:A:290:ILE:HD12	2:A:312:VAL:O	0.48	2.09	10	1
2:A:282:ILE:HG13	2:A:336:ARG:O	0.48	2.09	1	1
2:A:285:LEU:HD11	2:A:289:THR:HB	0.48	1.85	20	3
2:A:265:GLN:HG3	2:A:314:ASN:ND2	0.48	2.23	9	1
2:A:282:ILE:CD1	2:A:338:ILE:HD12	0.48	2.39	1	1
2:A:259:VAL:O	2:A:262:VAL:HG12	0.48	2.08	14	3
2:A:336:ARG:C	2:A:336:ARG:HD2	0.48	2.29	18	1
2:A:317:ARG:HG2	2:A:317:ARG:O	0.48	2.09	8	1
2:A:336:ARG:HA	2:A:336:ARG:NH1	0.47	2.23	10	1
2:A:285:LEU:HB2	2:A:289:THR:O	0.47	2.09	16	1
2:A:309:VAL:O	2:A:312:VAL:HG22	0.47	2.10	13	19
2:A:309:VAL:CA	2:A:312:VAL:HG22	0.47	2.40	2	16
2:A:309:VAL:O	2:A:313:ARG:HG2	0.47	2.09	14	4
2:A:321:MET:HE3	2:A:333:TYR:HB3	0.47	1.86	7	1
1:B:5:VAL:HG13	2:A:341:LYS:HB3	0.47	1.87	3	3
2:A:288:GLY:CA	2:A:321:MET:HG3	0.47	2.40	14	5
2:A:254:LEU:O	2:A:258:ILE:HD12	0.47	2.10	4	7
2:A:265:GLN:OE1	2:A:315:VAL:HG12	0.47	2.10	12	4
1:B:5:VAL:HG23	2:A:341:LYS:HB3	0.47	1.87	6	1
2:A:328:THR:O	2:A:332:LEU:HG	0.46	2.10	9	1
2:A:285:LEU:CG	2:A:286:PRO:HD2	0.46	2.40	15	2
2:A:330:ASP:HA	2:A:334:ARG:CB	0.46	2.40	8	5
2:A:284:MET:CG	2:A:290:ILE:HG12	0.46	2.41	20	5
2:A:284:MET:HE2	2:A:333:TYR:O	0.46	2.11	10	3
2:A:265:GLN:HE21	2:A:315:VAL:HG12	0.46	1.69	3	2
2:A:321:MET:HE3	2:A:333:TYR:CG	0.46	2.46	17	3
2:A:256:ASP:O	2:A:260:ASN:N	0.46	2.49	11	16
2:A:333:TYR:CE1	2:A:336:ARG:HD3	0.46	2.45	13	1
2:A:336:ARG:CZ	2:A:337:ARG:H	0.46	2.24	1	2
2:A:288:GLY:HA3	2:A:318:ILE:O	0.46	2.10	6	3
1:B:6:ILE:HD12	2:A:259:VAL:HG13	0.46	1.86	6	1
2:A:325:PRO:HD2	2:A:328:THR:HB	0.46	1.88	11	8
2:A:315:VAL:O	2:A:317:ARG:HD2	0.46	2.10	8	1
2:A:254:LEU:HB2	2:A:333:TYR:CZ	0.46	2.46	17	3
1:B:6:ILE:HD11	2:A:263:SER:OG	0.46	2.11	3	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:A:258:ILE:CG1	2:A:318:ILE:HD13	0.46	2.38	4	1
2:A:286:PRO:HG3	2:A:326:ARG:NE	0.45	2.26	2	1
2:A:318:ILE:CG2	2:A:321:MET:SD	0.45	3.05	3	3
2:A:280:VAL:O	2:A:337:ARG:HA	0.45	2.12	18	4
2:A:281:LEU:HD13	2:A:337:ARG:CD	0.45	2.41	20	6
2:A:285:LEU:CD1	2:A:289:THR:HB	0.45	2.42	20	2
2:A:254:LEU:CB	2:A:333:TYR:OH	0.45	2.63	4	1
2:A:265:GLN:CG	2:A:315:VAL:HG12	0.45	2.41	15	1
2:A:305:ASP:OD1	2:A:306:SER:N	0.45	2.49	16	3
2:A:308:ALA:HB1	2:A:340:PHE:CD1	0.45	2.47	19	8
1:B:4:LEU:HB2	2:A:336:ARG:NH2	0.45	2.26	12	1
2:A:293:ALA:HB3	2:A:313:ARG:NE	0.45	2.27	1	3
2:A:266:TRP:CD1	2:A:308:ALA:HA	0.45	2.47	11	6
2:A:282:ILE:CD1	2:A:336:ARG:H	0.45	2.25	2	2
2:A:269:PRO:HD2	2:A:272:ALA:HB2	0.45	1.89	9	2
2:A:305:ASP:O	2:A:309:VAL:HG23	0.45	2.12	14	5
1:B:6:ILE:CD1	2:A:259:VAL:HG13	0.44	2.41	2	4
2:A:324:LEU:CD1	2:A:325:PRO:O	0.44	2.65	16	3
2:A:315:VAL:O	2:A:317:ARG:HD3	0.44	2.13	9	1
1:B:4:LEU:HD13	1:B:5:VAL:N	0.44	2.26	1	3
2:A:330:ASP:CA	2:A:334:ARG:HB2	0.44	2.42	8	3
2:A:277:SER:OG	2:A:339:ILE:HG23	0.44	2.12	4	1
2:A:290:ILE:HG13	2:A:315:VAL:CG2	0.44	2.42	6	2
2:A:333:TYR:CD1	2:A:336:ARG:CG	0.44	3.00	16	1
2:A:290:ILE:N	2:A:316:GLY:O	0.44	2.49	19	1
2:A:278:VAL:HG23	2:A:304:PHE:CE1	0.44	2.48	20	2
2:A:309:VAL:O	2:A:312:VAL:CG2	0.44	2.66	8	20
2:A:276:MET:O	2:A:341:LYS:HA	0.44	2.13	18	2
2:A:284:MET:CG	2:A:290:ILE:HA	0.44	2.42	17	2
2:A:258:ILE:HG21	2:A:336:ARG:CG	0.43	2.43	19	4
2:A:282:ILE:HG22	2:A:283:GLU:H	0.43	1.73	17	1
1:B:3:PRO:HA	2:A:337:ARG:O	0.43	2.13	1	2
2:A:262:VAL:O	2:A:266:TRP:N	0.43	2.52	8	3
2:A:278:VAL:CG1	2:A:340:PHE:HB2	0.43	2.44	6	2
2:A:285:LEU:HD13	2:A:285:LEU:C	0.43	2.33	3	3
2:A:254:LEU:HB3	2:A:333:TYR:CZ	0.43	2.49	8	1
2:A:272:ALA:CA	2:A:276:MET:SD	0.43	2.96	7	3
2:A:308:ALA:HB1	2:A:340:PHE:CD2	0.43	2.49	2	1
2:A:281:LEU:HB2	2:A:296:SER:HB3	0.43	1.90	5	1
2:A:283:GLU:HA	2:A:334:ARG:O	0.43	2.14	4	2
1:B:4:LEU:HB2	2:A:336:ARG:HH22	0.43	1.74	7	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:A:285:LEU:HB2	2:A:286:PRO:HD2	0.43	1.89	17	1
1:B:7:SER:HA	2:A:341:LYS:O	0.43	2.13	17	1
2:A:289:THR:HG23	2:A:316:GLY:O	0.42	2.14	3	1
2:A:330:ASP:O	2:A:334:ARG:HD2	0.42	2.14	7	1
2:A:260:ASN:HD22	2:A:260:ASN:C	0.42	2.17	16	4
2:A:255:ASP:OD1	2:A:336:ARG:HD2	0.42	2.14	1	1
2:A:324:LEU:HD11	2:A:329:PHE:CB	0.42	2.44	16	2
2:A:254:LEU:HD21	2:A:320:GLU:HB3	0.42	1.90	10	1
2:A:321:MET:HE1	2:A:333:TYR:CD2	0.42	2.49	3	2
2:A:258:ILE:HD11	2:A:321:MET:HE2	0.42	1.91	7	1
2:A:277:SER:HB3	2:A:341:LYS:CB	0.42	2.44	15	1
2:A:336:ARG:HD2	2:A:337:ARG:N	0.42	2.29	18	1
2:A:258:ILE:HG23	2:A:338:ILE:HD11	0.42	1.91	1	1
2:A:285:LEU:CD1	2:A:287:ASP:HB3	0.42	2.44	17	1
2:A:290:ILE:HD12	2:A:315:VAL:HG22	0.42	1.90	8	2
1:B:6:ILE:HG12	2:A:262:VAL:CG1	0.42	2.44	11	1
2:A:258:ILE:HG21	2:A:336:ARG:HG2	0.42	1.90	8	1
2:A:324:LEU:HD12	2:A:325:PRO:N	0.42	2.30	11	1
2:A:336:ARG:HE	2:A:336:ARG:HA	0.42	1.68	16	1
2:A:285:LEU:CB	2:A:286:PRO:CD	0.42	2.95	17	1
2:A:318:ILE:HG21	2:A:321:MET:HE2	0.41	1.92	16	2
1:B:7:SER:O	2:A:268:ARG:HD3	0.41	2.15	19	1
2:A:266:TRP:HB2	2:A:311:ALA:CB	0.41	2.44	18	1
2:A:277:SER:CB	2:A:341:LYS:HB2	0.41	2.45	4	1
2:A:254:LEU:CD2	2:A:320:GLU:HB2	0.41	2.46	16	1
2:A:289:THR:OG1	2:A:317:ARG:HG2	0.41	2.15	18	1
2:A:273:ARG:O	2:A:275:GLY:N	0.41	2.53	18	1
2:A:285:LEU:HG	2:A:291:THR:HG21	0.41	1.93	5	1
2:A:289:THR:HA	2:A:317:ARG:CA	0.41	2.45	10	3
2:A:336:ARG:HA	2:A:336:ARG:HE	0.41	1.72	1	1
2:A:283:GLU:HG2	2:A:335:GLN:HG3	0.41	1.93	10	1
2:A:282:ILE:CG2	2:A:338:ILE:HD12	0.41	2.46	11	1
2:A:285:LEU:CG	2:A:286:PRO:CD	0.41	2.98	15	1
2:A:293:ALA:HB3	2:A:313:ARG:CD	0.41	2.45	2	2
2:A:333:TYR:CD1	2:A:336:ARG:HD3	0.41	2.50	9	1
2:A:318:ILE:HG23	2:A:319:PRO:HD2	0.41	1.93	11	3
2:A:285:LEU:C	2:A:287:ASP:H	0.41	2.19	7	1
2:A:285:LEU:HD11	2:A:289:THR:CB	0.41	2.45	17	1
2:A:285:LEU:C	2:A:285:LEU:HD13	0.41	2.36	19	1
2:A:277:SER:HB2	2:A:341:LYS:HB2	0.41	1.92	4	1
2:A:255:ASP:CG	2:A:336:ARG:HH21	0.41	2.18	19	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:A:305:ASP:CG	2:A:306:SER:N	0.40	2.74	9	1
2:A:255:ASP:OD2	2:A:336:ARG:HD2	0.40	2.16	15	1
2:A:289:THR:HG23	2:A:317:ARG:HB3	0.40	1.92	12	1
2:A:283:GLU:O	2:A:291:THR:N	0.40	2.54	3	1
2:A:284:MET:CE	2:A:318:ILE:HD12	0.40	2.45	13	1
2:A:285:LEU:CD2	2:A:286:PRO:HD2	0.40	2.46	15	1
2:A:283:GLU:C	2:A:284:MET:HG3	0.40	2.37	7	1
2:A:278:VAL:HG11	2:A:305:ASP:HA	0.40	1.94	9	1
2:A:302:LYS:HD2	2:A:305:ASP:OD2	0.40	2.16	5	1
2:A:258:ILE:HG12	2:A:336:ARG:HG2	0.40	1.94	17	1

5.2 Torsion angles [\(i\)](#)

5.2.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	B	5/13 (38%)	5±1 (90±13%)	1±1 (10±13%)	0±0 (0±0%)	100 100
2	A	89/124 (72%)	80±2 (90±2%)	6±1 (7±2%)	3±1 (3±1%)	7 38
All	All	1880/2740 (69%)	1687 (90%)	136 (7%)	57 (3%)	7 40

All 7 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
2	A	342	PRO	19
2	A	275	GLY	16
2	A	316	GLY	10
2	A	319	PRO	8
2	A	254	LEU	2
2	A	286	PRO	1
2	A	274	ASN	1

5.2.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	B	5/10 (50%)	5±0 (98±6%)	0±0 (2±6%)	57 93
2	A	79/108 (73%)	66±2 (84±3%)	13±2 (16±3%)	5 42
All	All	1680/2360 (71%)	1427 (85%)	253 (15%)	6 44

All 39 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
2	A	339	ILE	20
2	A	294	SER	20
2	A	331	SER	20
2	A	258	ILE	20
2	A	262	VAL	18
2	A	334	ARG	16
2	A	317	ARG	16
2	A	282	ILE	11
2	A	285	LEU	10
2	A	323	GLN	9
2	A	254	LEU	9
2	A	289	THR	9
2	A	296	SER	8
2	A	305	ASP	6
2	A	336	ARG	6
2	A	274	ASN	4
2	A	255	ASP	4
2	A	335	GLN	4
2	A	260	ASN	4
2	A	263	SER	4
2	A	321	MET	4
2	A	276	MET	3
2	A	324	LEU	3
2	A	264	GLN	2
2	A	301	ASP	2
2	A	326	ARG	2
2	A	268	ARG	2
2	A	279	GLU	2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
2	A	303	PRO	2
2	A	256	ASP	2
2	A	299	SER	2
2	A	320	GLU	2
1	B	7	SER	1
2	A	319	PRO	1
2	A	302	LYS	1
2	A	341	LYS	1
2	A	337	ARG	1
1	B	4	LEU	1
2	A	315	VAL	1

5.2.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.3 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.4 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

5.5 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

5.6 Other polymers [\(i\)](#)

There are no such molecules in this entry.

5.7 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Chemical shift validation i

The completeness of assignment taking into account all chemical shift lists is 87% for the well-defined parts and 83% for the entire structure.

6.1 Chemical shift list 1

File name: input_cs.cif

Chemical shift list name: *assigned_chem_shift_list_1*

6.1.1 Bookkeeping i

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1428
Number of shifts mapped to atoms	1428
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	4

6.1.2 Chemical shift referencing i

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	115	0.01 ± 0.17	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	108	0.49 ± 0.11	None needed (< 0.5 ppm)
$^{13}\text{C}'$	110	-0.19 ± 0.21	None needed (< 0.5 ppm)
^{15}N	115	-0.38 ± 0.27	None needed (< 0.5 ppm)

6.1.3 Completeness of resonance assignments i

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 83%, i.e. 984 atoms were assigned a chemical shift out of a possible 1187. 0 out of 17 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	420/454 (93%)	170/180 (94%)	168/188 (89%)	82/86 (95%)
Sidechain	523/686 (76%)	323/405 (80%)	190/240 (79%)	10/41 (24%)

Continued on next page...

Continued from previous page...

	Total	¹ H	¹³ C	¹⁵ N
Aromatic	41/47 (87%)	21/25 (84%)	19/21 (90%)	1/1 (100%)
Overall	984/1187 (83%)	514/610 (84%)	377/449 (84%)	93/128 (73%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 76%, i.e. 1265 atoms were assigned a chemical shift out of a possible 1662. 1 out of 25 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	575/669 (86%)	235/266 (88%)	225/274 (82%)	115/129 (89%)
Sidechain	649/938 (69%)	406/549 (74%)	232/336 (69%)	11/53 (21%)
Aromatic	41/55 (75%)	21/29 (72%)	19/23 (83%)	1/3 (33%)
Overall	1265/1662 (76%)	662/844 (78%)	476/633 (75%)	127/185 (69%)

6.1.4 Statistically unusual chemical shifts [\(i\)](#)


The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	286	PRO	HA	2.36	6.05 – 2.75	-6.2
1	A	308	ALA	HB1	-0.18	2.61 – 0.11	-6.1
1	A	308	ALA	HB3	-0.18	2.61 – 0.11	-6.1
1	A	308	ALA	HB2	-0.18	2.61 – 0.11	-6.1

6.1.5 Random Coil Index (RCI) plots [\(i\)](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:



6.2 Chemical shift list 2

File name: input_cs.cif

Chemical shift list name: *assignedchem_shift_list_2*

6.2.1 Bookkeeping [\(i\)](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	126
Number of shifts mapped to atoms	126
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

6.2.2 Chemical shift referencing [\(i\)](#)

No chemical shift referencing corrections were calculated (not enough data).

6.2.3 Completeness of resonance assignments [\(i\)](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 4%, i.e. 48 atoms were assigned a chemical shift out of a possible 1187. 0 out of 17 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	23/454 (5%)	9/180 (5%)	10/188 (5%)	4/86 (5%)
Sidechain	25/686 (4%)	18/405 (4%)	7/240 (3%)	0/41 (0%)
Aromatic	0/47 (0%)	0/25 (0%)	0/21 (0%)	0/1 (0%)

Continued on next page...

Continued from previous page...

	Total	¹ H	¹³ C	¹⁵ N
Overall	48/1187 (4%)	27/610 (4%)	17/449 (4%)	4/128 (3%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 7%, i.e. 113 atoms were assigned a chemical shift out of a possible 1662. 0 out of 25 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	61/669 (9%)	24/266 (9%)	26/274 (9%)	11/129 (9%)
Sidechain	52/938 (6%)	36/549 (7%)	14/336 (4%)	2/53 (4%)
Aromatic	0/55 (0%)	0/29 (0%)	0/23 (0%)	0/3 (0%)
Overall	113/1662 (7%)	60/844 (7%)	40/633 (6%)	13/185 (7%)

6.2.4 Statistically unusual chemical shifts [\(i\)](#)

There are no statistically unusual chemical shifts.

6.2.5 Random Coil Index (RCI) plots [\(i\)](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain B:

