



# wwPDB X-ray Structure Validation Summary Report ⓘ

Nov 2, 2023 – 03:36 PM EDT

PDB ID : 3VGK  
Title : Crystal structure of a ROK family glucokinase from *Streptomyces griseus*  
Authors : Miyazono, K.; Tabei, N.; Morita, S.; Ohnishi, Y.; Horinouchi, S.; Tanokura, M.  
Deposited on : 2011-08-15  
Resolution : 3.25 Å (reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1191 (3.30-3.22)
Clashscore	141614	1251 (3.30-3.22)
Ramachandran outliers	138981	1229 (3.30-3.22)
Sidechain outliers	138945	1228 (3.30-3.22)
RSRZ outliers	127900	1154 (3.30-3.22)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	321	
1	B	321	
1	C	321	
1	D	321	
1	E	321	

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	321	 72% 24% ..
1	G	321	 65% 29% ..
1	H	321	 2% 63% 30% ..

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 18142 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glucokinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	311	2267	1420	414	428	5	0	0	0
1	B	312	2271	1422	415	429	5	0	0	0
1	C	310	2263	1418	413	427	5	0	0	0
1	D	311	2267	1420	414	428	5	0	0	0
1	E	310	2263	1418	413	427	5	0	0	0
1	F	310	2263	1418	413	427	5	0	0	0
1	G	311	2267	1420	414	428	5	0	0	0
1	H	310	2263	1418	413	427	5	0	0	0

There are 64 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	314	LEU	-	expression tag	UNP B1VZT1
A	315	GLU	-	expression tag	UNP B1VZT1
A	316	HIS	-	expression tag	UNP B1VZT1
A	317	HIS	-	expression tag	UNP B1VZT1
A	318	HIS	-	expression tag	UNP B1VZT1
A	319	HIS	-	expression tag	UNP B1VZT1
A	320	HIS	-	expression tag	UNP B1VZT1
A	321	HIS	-	expression tag	UNP B1VZT1
B	314	LEU	-	expression tag	UNP B1VZT1
B	315	GLU	-	expression tag	UNP B1VZT1
B	316	HIS	-	expression tag	UNP B1VZT1
B	317	HIS	-	expression tag	UNP B1VZT1
B	318	HIS	-	expression tag	UNP B1VZT1

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	319	HIS	-	expression tag	UNP B1VZT1
B	320	HIS	-	expression tag	UNP B1VZT1
B	321	HIS	-	expression tag	UNP B1VZT1
C	314	LEU	-	expression tag	UNP B1VZT1
C	315	GLU	-	expression tag	UNP B1VZT1
C	316	HIS	-	expression tag	UNP B1VZT1
C	317	HIS	-	expression tag	UNP B1VZT1
C	318	HIS	-	expression tag	UNP B1VZT1
C	319	HIS	-	expression tag	UNP B1VZT1
C	320	HIS	-	expression tag	UNP B1VZT1
C	321	HIS	-	expression tag	UNP B1VZT1
D	314	LEU	-	expression tag	UNP B1VZT1
D	315	GLU	-	expression tag	UNP B1VZT1
D	316	HIS	-	expression tag	UNP B1VZT1
D	317	HIS	-	expression tag	UNP B1VZT1
D	318	HIS	-	expression tag	UNP B1VZT1
D	319	HIS	-	expression tag	UNP B1VZT1
D	320	HIS	-	expression tag	UNP B1VZT1
D	321	HIS	-	expression tag	UNP B1VZT1
E	314	LEU	-	expression tag	UNP B1VZT1
E	315	GLU	-	expression tag	UNP B1VZT1
E	316	HIS	-	expression tag	UNP B1VZT1
E	317	HIS	-	expression tag	UNP B1VZT1
E	318	HIS	-	expression tag	UNP B1VZT1
E	319	HIS	-	expression tag	UNP B1VZT1
E	320	HIS	-	expression tag	UNP B1VZT1
E	321	HIS	-	expression tag	UNP B1VZT1
F	314	LEU	-	expression tag	UNP B1VZT1
F	315	GLU	-	expression tag	UNP B1VZT1
F	316	HIS	-	expression tag	UNP B1VZT1
F	317	HIS	-	expression tag	UNP B1VZT1
F	318	HIS	-	expression tag	UNP B1VZT1
F	319	HIS	-	expression tag	UNP B1VZT1
F	320	HIS	-	expression tag	UNP B1VZT1
F	321	HIS	-	expression tag	UNP B1VZT1
G	314	LEU	-	expression tag	UNP B1VZT1
G	315	GLU	-	expression tag	UNP B1VZT1
G	316	HIS	-	expression tag	UNP B1VZT1
G	317	HIS	-	expression tag	UNP B1VZT1
G	318	HIS	-	expression tag	UNP B1VZT1
G	319	HIS	-	expression tag	UNP B1VZT1
G	320	HIS	-	expression tag	UNP B1VZT1

*Continued on next page...*


*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
G	321	HIS	-	expression tag	UNP B1VZT1
H	314	LEU	-	expression tag	UNP B1VZT1
H	315	GLU	-	expression tag	UNP B1VZT1
H	316	HIS	-	expression tag	UNP B1VZT1
H	317	HIS	-	expression tag	UNP B1VZT1
H	318	HIS	-	expression tag	UNP B1VZT1
H	319	HIS	-	expression tag	UNP B1VZT1
H	320	HIS	-	expression tag	UNP B1VZT1
H	321	HIS	-	expression tag	UNP B1VZT1

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Zn 1 1	0	0
2	B	1	Total Zn 1 1	0	0
2	C	1	Total Zn 1 1	0	0
2	D	1	Total Zn 1 1	0	0
2	E	1	Total Zn 1 1	0	0
2	F	1	Total Zn 1 1	0	0
2	G	1	Total Zn 1 1	0	0
2	H	1	Total Zn 1 1	0	0

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Glucokinase

Chain A: 




- Molecule 1: Glucokinase

Chain B: 



- Molecule 1: Glucokinase

Chain C: 







## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	98.69Å 173.70Å 124.03Å 90.00° 106.69° 90.00°	Depositor
Resolution (Å)	20.00 – 3.25 19.67 – 3.25	Depositor EDS
% Data completeness (in resolution range)	96.8 (20.00-3.25) 96.8 (19.67-3.25)	Depositor EDS
$R_{merge}$	0.11	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.28 (at 3.22Å)	Xtrriage
Refinement program	REFMAC refmac_5.5.0109	Depositor
R, $R_{free}$	0.206 , 0.264 0.205 , 0.257	Depositor DCC
$R_{free}$ test set	6121 reflections (10.08%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	87.4	Xtrriage
Anisotropy	0.091	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 31.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	18142	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	87.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 25.97 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.8729e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.70	0/2308	0.74	0/3129
1	B	0.69	0/2312	0.73	0/3134
1	C	0.66	0/2304	0.72	0/3124
1	D	0.71	0/2308	0.76	1/3129 (0.0%)
1	E	0.70	0/2304	0.76	0/3124
1	F	0.69	0/2304	0.73	0/3124
1	G	0.70	0/2308	0.78	1/3129 (0.0%)
1	H	0.63	0/2304	0.71	0/3124
All	All	0.68	0/18452	0.74	2/25017 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	24	ARG	NE-CZ-NH2	5.96	123.28	120.30
1	G	278	ARG	NE-CZ-NH2	5.62	123.11	120.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2267	0	2237	49	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	2271	0	2241	65	0
1	C	2263	0	2234	57	0
1	D	2267	0	2237	76	0
1	E	2263	0	2234	61	0
1	F	2263	0	2234	53	0
1	G	2267	0	2237	80	0
1	H	2263	0	2234	83	0
2	A	1	0	0	0	0
2	B	1	0	0	1	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
2	E	1	0	0	0	0
2	F	1	0	0	0	0
2	G	1	0	0	0	0
2	H	1	0	0	0	0
3	B	5	0	0	0	0
3	E	5	0	0	0	0
All	All	18142	0	17888	482	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

The worst 5 of 482 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:193:ASN:HD22	1:C:210:VAL:HG21	1.22	1.02
1:G:270:LEU:CD1	1:G:294:ALA:HB2	1.96	0.96
1:G:270:LEU:HD13	1:G:294:ALA:HB2	1.46	0.94
1:B:172:GLN:HE21	1:H:190:GLN:HE22	1.16	0.94
1:B:167:CYS:HG	2:B:322:ZN:ZN	0.69	0.88

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	309/321 (96%)	286 (93%)	23 (7%)	0	100	100
1	B	310/321 (97%)	287 (93%)	20 (6%)	3 (1%)	15	47
1	C	308/321 (96%)	279 (91%)	26 (8%)	3 (1%)	15	47
1	D	309/321 (96%)	281 (91%)	28 (9%)	0	100	100
1	E	308/321 (96%)	284 (92%)	23 (8%)	1 (0%)	41	72
1	F	308/321 (96%)	287 (93%)	20 (6%)	1 (0%)	41	72
1	G	309/321 (96%)	282 (91%)	24 (8%)	3 (1%)	15	47
1	H	308/321 (96%)	272 (88%)	34 (11%)	2 (1%)	25	59
All	All	2469/2568 (96%)	2258 (92%)	198 (8%)	13 (0%)	29	62

5 of 13 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	238	ARG
1	C	180	SER
1	H	11	GLY
1	B	156	GLY
1	B	301	ALA

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	218/227 (96%)	196 (90%)	22 (10%)	7	27
1	B	218/227 (96%)	204 (94%)	14 (6%)	17	47
1	C	218/227 (96%)	196 (90%)	22 (10%)	7	27
1	D	218/227 (96%)	199 (91%)	19 (9%)	10	34
1	E	218/227 (96%)	198 (91%)	20 (9%)	9	31
1	F	218/227 (96%)	199 (91%)	19 (9%)	10	34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	G	218/227 (96%)	198 (91%)	20 (9%)	9	31
1	H	218/227 (96%)	191 (88%)	27 (12%)	4	19
All	All	1744/1816 (96%)	1581 (91%)	163 (9%)	9	30

5 of 163 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	F	312	GLN
1	H	56	ASP
1	G	70	ASP
1	G	209	SER
1	H	116	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 43 such sidechains are listed below:

Mol	Chain	Res	Type
1	F	193	ASN
1	G	198	ASN
1	F	198	ASN
1	G	120	GLN
1	H	80	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 8 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	SO4	B	323	-	4,4,4	0.22	0	6,6,6	0.22	0
3	SO4	E	323	-	4,4,4	0.12	0	6,6,6	0.33	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	311/321 (96%)	-0.42	1 (0%) 94 94	60, 81, 106, 116	0
1	B	312/321 (97%)	-0.38	2 (0%) 89 89	60, 84, 111, 122	0
1	C	310/321 (96%)	-0.37	0 100 100	58, 84, 111, 119	0
1	D	311/321 (96%)	-0.30	1 (0%) 94 94	58, 82, 107, 117	0
1	E	310/321 (96%)	-0.37	2 (0%) 89 89	60, 82, 113, 125	0
1	F	310/321 (96%)	-0.42	1 (0%) 94 94	62, 83, 112, 120	0
1	G	311/321 (96%)	-0.36	1 (0%) 94 94	60, 84, 111, 120	0
1	H	310/321 (96%)	-0.21	8 (2%) 56 52	57, 99, 160, 171	0
All	All	2485/2568 (96%)	-0.35	16 (0%) 89 89	57, 84, 116, 171	0

The worst 5 of 16 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	6	GLY	4.0
1	H	94	GLN	3.9
1	B	2	GLY	3.5
1	H	12	THR	3.1
1	E	80	ASN	2.6

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	SO4	E	323	5/5	0.89	0.18	110,110,111,112	0
3	SO4	B	323	5/5	0.90	0.20	114,115,115,115	0
2	ZN	G	322	1/1	0.99	0.05	75,75,75,75	0
2	ZN	H	322	1/1	0.99	0.04	79,79,79,79	0
2	ZN	D	322	1/1	0.99	0.04	79,79,79,79	0
2	ZN	F	322	1/1	0.99	0.04	70,70,70,70	0
2	ZN	C	322	1/1	1.00	0.04	81,81,81,81	0
2	ZN	A	322	1/1	1.00	0.04	82,82,82,82	0
2	ZN	E	322	1/1	1.00	0.05	73,73,73,73	0
2	ZN	B	322	1/1	1.00	0.04	77,77,77,77	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.