



wwPDB X-ray Structure Validation Summary Report ⓘ

Nov 21, 2023 – 05:19 PM JST

PDB ID : 7W2B
Title : The closed conformation of the sigma-1 receptor from *Xenopus laevis*
Authors : Meng, F.; Sun, Z.; Zhou, X.
Deposited on : 2021-11-23
Resolution : 3.20 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1133 (3.20-3.20)
Clashscore	141614	1253 (3.20-3.20)
Ramachandran outliers	138981	1234 (3.20-3.20)
Sidechain outliers	138945	1233 (3.20-3.20)
RSRZ outliers	127900	1095 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	225	<div> <div>84%</div> <div>12%</div> <div>.</div> </div>
1	B	225	<div> <div>2%</div> <div>88%</div> <div>9%</div> <div>.</div> </div>
1	C	225	<div> <div>12%</div> <div>84%</div> <div>11%</div> <div>.</div> </div>
1	D	225	<div> <div>7%</div> <div>85%</div> <div>12%</div> <div>.</div> </div>
1	E	225	<div> <div>3%</div> <div>85%</div> <div>10%</div> <div>.</div> </div>
1	F	225	<div> <div>8%</div> <div>88%</div> <div>8%</div> <div>.</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	225	<div><div></div><div>8%</div><div>83%</div><div>14%</div><div></div></div>
1	H	225	<div><div></div><div>9%</div><div>86%</div><div>9%</div><div></div></div>
1	I	225	<div><div></div><div>10%</div><div>89%</div><div>8%</div><div></div></div>
1	J	225	<div><div></div><div>8%</div><div>82%</div><div>11%</div><div>7%</div></div>
1	K	225	<div><div></div><div>17%</div><div>84%</div><div>10%</div><div>5%</div></div>
1	L	225	<div><div></div><div>4%</div><div>88%</div><div>8%</div><div></div></div>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 20673 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Sigma non-opioid intracellular receptor 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	215	Total	C	N	O	S	0	0	0
			1701	1107	279	311	4			
1	C	215	Total	C	N	O	S	0	0	0
			1701	1107	279	311	4			
1	E	215	Total	C	N	O	S	0	0	0
			1701	1107	279	311	4			
1	D	221	Total	C	N	O	S	0	0	0
			1742	1131	285	321	5			
1	F	215	Total	C	N	O	S	0	0	0
			1701	1107	279	311	4			
1	B	219	Total	C	N	O	S	0	0	0
			1729	1123	283	318	5			
1	G	219	Total	C	N	O	S	0	0	0
			1729	1123	283	318	5			
1	H	215	Total	C	N	O	S	0	0	0
			1701	1107	279	311	4			
1	I	217	Total	C	N	O	S	0	0	0
			1714	1115	281	313	5			
1	J	210	Total	C	N	O	S	0	0	0
			1657	1078	270	304	5			
1	K	214	Total	C	N	O	S	0	0	0
			1692	1102	277	309	4			
1	L	215	Total	C	N	O	S	0	0	0
			1701	1107	279	311	4			

There are 48 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-3	SER	-	expression tag	UNP Q6DCU6
A	-2	VAL	-	expression tag	UNP Q6DCU6
A	-1	ASP	-	expression tag	UNP Q6DCU6
A	0	THR	-	expression tag	UNP Q6DCU6
C	-3	SER	-	expression tag	UNP Q6DCU6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-2	VAL	-	expression tag	UNP Q6DCU6
C	-1	ASP	-	expression tag	UNP Q6DCU6
C	0	THR	-	expression tag	UNP Q6DCU6
E	-3	SER	-	expression tag	UNP Q6DCU6
E	-2	VAL	-	expression tag	UNP Q6DCU6
E	-1	ASP	-	expression tag	UNP Q6DCU6
E	0	THR	-	expression tag	UNP Q6DCU6
D	-3	SER	-	expression tag	UNP Q6DCU6
D	-2	VAL	-	expression tag	UNP Q6DCU6
D	-1	ASP	-	expression tag	UNP Q6DCU6
D	0	THR	-	expression tag	UNP Q6DCU6
F	-3	SER	-	expression tag	UNP Q6DCU6
F	-2	VAL	-	expression tag	UNP Q6DCU6
F	-1	ASP	-	expression tag	UNP Q6DCU6
F	0	THR	-	expression tag	UNP Q6DCU6
B	-3	SER	-	expression tag	UNP Q6DCU6
B	-2	VAL	-	expression tag	UNP Q6DCU6
B	-1	ASP	-	expression tag	UNP Q6DCU6
B	0	THR	-	expression tag	UNP Q6DCU6
G	-3	SER	-	expression tag	UNP Q6DCU6
G	-2	VAL	-	expression tag	UNP Q6DCU6
G	-1	ASP	-	expression tag	UNP Q6DCU6
G	0	THR	-	expression tag	UNP Q6DCU6
H	-3	SER	-	expression tag	UNP Q6DCU6
H	-2	VAL	-	expression tag	UNP Q6DCU6
H	-1	ASP	-	expression tag	UNP Q6DCU6
H	0	THR	-	expression tag	UNP Q6DCU6
I	-3	SER	-	expression tag	UNP Q6DCU6
I	-2	VAL	-	expression tag	UNP Q6DCU6
I	-1	ASP	-	expression tag	UNP Q6DCU6
I	0	THR	-	expression tag	UNP Q6DCU6
J	-3	SER	-	expression tag	UNP Q6DCU6
J	-2	VAL	-	expression tag	UNP Q6DCU6
J	-1	ASP	-	expression tag	UNP Q6DCU6
J	0	THR	-	expression tag	UNP Q6DCU6
K	-3	SER	-	expression tag	UNP Q6DCU6
K	-2	VAL	-	expression tag	UNP Q6DCU6
K	-1	ASP	-	expression tag	UNP Q6DCU6
K	0	THR	-	expression tag	UNP Q6DCU6
L	-3	SER	-	expression tag	UNP Q6DCU6
L	-2	VAL	-	expression tag	UNP Q6DCU6
L	-1	ASP	-	expression tag	UNP Q6DCU6

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
L	0	THR	-	expression tag	UNP Q6DCU6

- Molecule 2 is GOLD ION (three-letter code: AU) (formula: Au).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	2	Total Au 2 2	0	0
2	C	2	Total Au 2 2	0	0
2	E	2	Total Au 2 2	0	0
2	D	2	Total Au 2 2	0	0
2	F	2	Total Au 2 2	0	0
2	B	2	Total Au 2 2	0	0
2	G	2	Total Au 2 2	0	0
2	H	2	Total Au 2 2	0	0
2	I	2	Total Au 2 2	0	0
2	J	2	Total Au 2 2	0	0
2	K	2	Total Au 2 2	0	0
2	L	2	Total Au 2 2	0	0


- Molecule 3 is octyl beta-D-glucopyranoside (three-letter code: BOG) (formula: C₁₄H₂₈O₆).






Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			20	14	6		
3	C	1	Total	C	O	0	0
			20	14	6		
3	E	1	Total	C	O	0	0
			20	14	6		
3	D	1	Total	C	O	0	0
			20	14	6		
3	F	1	Total	C	O	0	0
			20	14	6		
3	B	1	Total	C	O	0	0
			20	14	6		
3	G	1	Total	C	O	0	0
			20	14	6		
3	H	1	Total	C	O	0	0
			20	14	6		
3	J	1	Total	C	O	0	0
			20	14	6		

- Molecule 1: Sigma non-opioid intracellular receptor 1







- Molecule 1: Sigma non-opioid intracellular receptor 1





- Molecule 1: Sigma non-opioid intracellular receptor 1




- Molecule 1: Sigma non-opioid intracellular receptor 1




- Molecule 1: Sigma non-opioid intracellular receptor 1






- Molecule 1: Sigma non-opioid intracellular receptor 1









- Molecule 1: Sigma non-opioid intracellular receptor 1



- Molecule 1: Sigma non-opioid intracellular receptor 1



- Molecule 1: Sigma non-opioid intracellular receptor 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	86.72Å 148.45Å 172.14Å 90.00° 92.44° 90.00°	Depositor
Resolution (Å)	46.90 – 3.20 48.77 – 3.20	Depositor EDS
% Data completeness (in resolution range)	98.1 (46.90-3.20) 98.3 (48.77-3.20)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.33 (at 3.19Å)	Xtriage
Refinement program	PHENIX 1.13_2998	Depositor
R, R_{free}	0.241 , 0.269 0.240 , 0.268	Depositor DCC
R_{free} test set	3487 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å ²)	87.9	Xtriage
Anisotropy	0.197	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 60.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.012 for h,-k,-l	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	20673	wwPDB-VP
Average B, all atoms (Å ²)	85.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 14.10% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BOG, AU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.27	0/1745	0.48	0/2371
1	B	0.26	0/1773	0.47	0/2409
1	C	0.26	0/1745	0.45	0/2371
1	D	0.26	0/1786	0.47	0/2427
1	E	0.26	0/1745	0.46	0/2371
1	F	0.25	0/1745	0.45	0/2371
1	G	0.26	0/1773	0.45	0/2409
1	H	0.25	0/1745	0.44	0/2371
1	I	0.25	0/1758	0.44	0/2388
1	J	0.26	0/1698	0.47	0/2305
1	K	0.25	0/1736	0.44	0/2359
1	L	0.26	0/1745	0.45	0/2371
All	All	0.26	0/20994	0.46	0/28523

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1701	0	1682	15	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1729	0	1710	11	0
1	C	1701	0	1682	14	0
1	D	1742	0	1724	15	0
1	E	1701	0	1682	12	0
1	F	1701	0	1682	9	0
1	G	1729	0	1710	22	0
1	H	1701	0	1682	12	0
1	I	1714	0	1699	8	0
1	J	1657	0	1640	18	0
1	K	1692	0	1674	14	0
1	L	1701	0	1682	8	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
2	C	2	0	0	0	0
2	D	2	0	0	0	0
2	E	2	0	0	0	0
2	F	2	0	0	0	0
2	G	2	0	0	0	0
2	H	2	0	0	0	0
2	I	2	0	0	0	0
2	J	2	0	0	0	0
2	K	2	0	0	0	0
2	L	2	0	0	0	0
3	A	20	0	28	0	0
3	B	20	0	28	0	0
3	C	20	0	28	1	0
3	D	20	0	28	1	0
3	E	20	0	28	0	0
3	F	20	0	28	0	0
3	G	20	0	28	1	0
3	H	20	0	28	1	0
3	J	20	0	28	3	0
All	All	20673	0	20501	144	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 144 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:27:LEU:HA	1:G:30:LYS:HE3	1.73	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:30:LYS:HZ2	1:G:32:TYR:HE1	1.41	0.68
1:G:134:LYS:NZ	1:G:155:GLU:OE1	2.26	0.66
1:D:142:ILE:HG13	3:D:303:BOG:H62	1.77	0.65
1:A:92:LEU:HD11	1:A:95:ALA:HB2	1.80	0.64

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	213/225 (95%)	210 (99%)	3 (1%)	0	100	100
1	B	217/225 (96%)	213 (98%)	4 (2%)	0	100	100
1	C	213/225 (95%)	209 (98%)	4 (2%)	0	100	100
1	D	219/225 (97%)	214 (98%)	5 (2%)	0	100	100
1	E	213/225 (95%)	209 (98%)	4 (2%)	0	100	100
1	F	213/225 (95%)	209 (98%)	4 (2%)	0	100	100
1	G	217/225 (96%)	213 (98%)	4 (2%)	0	100	100
1	H	213/225 (95%)	209 (98%)	4 (2%)	0	100	100
1	I	215/225 (96%)	210 (98%)	5 (2%)	0	100	100
1	J	206/225 (92%)	200 (97%)	6 (3%)	0	100	100
1	K	212/225 (94%)	208 (98%)	4 (2%)	0	100	100
1	L	213/225 (95%)	209 (98%)	4 (2%)	0	100	100
All	All	2564/2700 (95%)	2513 (98%)	51 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	180/188 (96%)	176 (98%)	4 (2%)	52	79
1	B	183/188 (97%)	180 (98%)	3 (2%)	62	84
1	C	180/188 (96%)	177 (98%)	3 (2%)	60	83
1	D	185/188 (98%)	181 (98%)	4 (2%)	52	79
1	E	180/188 (96%)	177 (98%)	3 (2%)	60	83
1	F	180/188 (96%)	177 (98%)	3 (2%)	60	83
1	G	183/188 (97%)	179 (98%)	4 (2%)	52	79
1	H	180/188 (96%)	177 (98%)	3 (2%)	60	83
1	I	181/188 (96%)	178 (98%)	3 (2%)	60	83
1	J	175/188 (93%)	172 (98%)	3 (2%)	60	83
1	K	179/188 (95%)	176 (98%)	3 (2%)	60	83
1	L	180/188 (96%)	177 (98%)	3 (2%)	60	83
All	All	2166/2256 (96%)	2127 (98%)	39 (2%)	59	82

5 of 39 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	I	117	TYR
1	K	130	PHE
1	I	130	PHE
1	J	130	PHE
1	L	117	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 33 ligands modelled in this entry, 24 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	BOG	A	303	-	20,20,20	1.09	1 (5%)	25,25,25	0.94	1 (4%)
3	BOG	H	303	-	20,20,20	1.09	1 (5%)	25,25,25	0.90	0
3	BOG	D	303	-	20,20,20	1.09	2 (10%)	25,25,25	0.74	0
3	BOG	F	303	-	20,20,20	1.11	1 (5%)	25,25,25	0.81	0
3	BOG	J	303	-	20,20,20	1.07	1 (5%)	25,25,25	1.01	1 (4%)
3	BOG	B	303	-	20,20,20	1.09	1 (5%)	25,25,25	0.90	0
3	BOG	G	303	-	20,20,20	1.10	1 (5%)	25,25,25	0.76	0
3	BOG	C	303	-	20,20,20	1.10	1 (5%)	25,25,25	0.81	0
3	BOG	E	303	-	20,20,20	1.13	1 (5%)	25,25,25	0.87	1 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BOG	A	303	-	-	4/11/31/31	0/1/1/1
3	BOG	H	303	-	-	3/11/31/31	0/1/1/1
3	BOG	D	303	-	-	5/11/31/31	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BOG	F	303	-	-	1/11/31/31	0/1/1/1
3	BOG	J	303	-	-	2/11/31/31	0/1/1/1
3	BOG	B	303	-	-	5/11/31/31	0/1/1/1
3	BOG	G	303	-	-	2/11/31/31	0/1/1/1
3	BOG	C	303	-	-	4/11/31/31	0/1/1/1
3	BOG	E	303	-	-	3/11/31/31	0/1/1/1

The worst 5 of 10 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	303	BOG	O5-C1	3.67	1.51	1.41
3	F	303	BOG	O5-C1	3.66	1.51	1.41
3	C	303	BOG	O5-C1	3.65	1.51	1.41
3	A	303	BOG	O5-C1	3.63	1.51	1.41
3	B	303	BOG	O5-C1	3.55	1.50	1.41

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	J	303	BOG	C1-C2-C3	2.53	115.27	110.00
3	A	303	BOG	C1-C2-C3	2.46	115.12	110.00
3	E	303	BOG	O5-C1-C2	2.03	114.65	110.35

There are no chirality outliers.

5 of 29 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	F	303	BOG	O5-C1-O1-C1'
3	C	303	BOG	C4-C5-C6-O6
3	B	303	BOG	O5-C5-C6-O6
3	H	303	BOG	C4-C5-C6-O6
3	A	303	BOG	O5-C5-C6-O6

There are no ring outliers.

5 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	H	303	BOG	1	0
3	D	303	BOG	1	0
3	J	303	BOG	3	0




Continued on next page...




Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	G	303	BOG	1	0
3	C	303	BOG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2	OWAB(Å ²)	Q < 0.9
1	A	215/225 (95%)	0.09	0 100 100	47, 61, 88, 125	0
1	B	219/225 (97%)	0.25	5 (2%) 60 47	47, 65, 110, 145	0
1	C	215/225 (95%)	0.72	28 (13%) 3 2	48, 76, 135, 145	0
1	D	221/225 (98%)	0.45	15 (6%) 17 10	48, 69, 113, 126	0
1	E	215/225 (95%)	0.27	6 (2%) 53 37	46, 65, 109, 132	0
1	F	215/225 (95%)	0.53	17 (7%) 12 6	53, 82, 137, 145	0
1	G	219/225 (97%)	0.56	17 (7%) 13 7	62, 80, 134, 145	0
1	H	215/225 (95%)	0.67	20 (9%) 8 5	67, 98, 128, 135	0
1	I	217/225 (96%)	0.62	23 (10%) 6 3	74, 108, 141, 155	0
1	J	210/225 (93%)	0.54	18 (8%) 10 5	72, 101, 132, 163	0
1	K	214/225 (95%)	0.80	38 (17%) 1 1	69, 96, 150, 159	0
1	L	215/225 (95%)	0.38	10 (4%) 31 19	66, 79, 104, 136	0
All	All	2590/2700 (95%)	0.49	197 (7%) 13 7	46, 81, 130, 163	0

The worst 5 of 197 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	217	GLN	5.8
1	J	18	VAL	5.4
1	G	28	SER	5.3
1	G	29	SER	5.1
1	H	29	SER	4.9

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no monosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	BOG	C	303	20/20	0.80	0.30	69,69,69,69	0
3	BOG	J	303	20/20	0.80	0.53	87,87,87,87	0
3	BOG	H	303	20/20	0.87	0.43	85,85,85,85	0
3	BOG	A	303	20/20	0.89	0.41	61,61,61,61	0
3	BOG	F	303	20/20	0.89	0.32	76,76,76,76	0
3	BOG	E	303	20/20	0.90	0.48	71,71,71,71	0
3	BOG	G	303	20/20	0.92	0.27	70,70,70,70	0
3	BOG	B	303	20/20	0.93	0.39	75,75,75,75	0
3	BOG	D	303	20/20	0.95	0.27	50,50,50,50	0
2	AU	I	302	1/1	0.96	0.15	128,128,128,128	0
2	AU	J	301	1/1	0.97	0.13	113,113,113,113	0
2	AU	J	302	1/1	0.98	0.16	124,124,124,124	0
2	AU	I	301	1/1	0.98	0.11	122,122,122,122	0
2	AU	A	301	1/1	0.99	0.15	81,81,81,81	0
2	AU	A	302	1/1	0.99	0.17	84,84,84,84	0
2	AU	C	301	1/1	0.99	0.11	87,87,87,87	0
2	AU	C	302	1/1	0.99	0.12	91,91,91,91	0
2	AU	K	302	1/1	0.99	0.12	107,107,107,107	0
2	AU	L	301	1/1	0.99	0.10	103,103,103,103	0
2	AU	L	302	1/1	0.99	0.10	109,109,109,109	0
2	AU	E	301	1/1	0.99	0.14	81,81,81,81	0
2	AU	D	302	1/1	0.99	0.17	82,82,82,82	0
2	AU	F	301	1/1	0.99	0.13	95,95,95,95	0
2	AU	F	302	1/1	0.99	0.14	102,102,102,102	0
2	AU	B	302	1/1	0.99	0.16	89,89,89,89	0
2	AU	G	301	1/1	0.99	0.17	79,79,79,79	0
2	AU	G	302	1/1	0.99	0.16	80,80,80,80	0
2	AU	H	301	1/1	0.99	0.11	129,129,129,129	0
2	AU	H	302	1/1	0.99	0.12	139,139,139,139	0
2	AU	D	301	1/1	1.00	0.15	76,76,76,76	0
2	AU	E	302	1/1	1.00	0.14	82,82,82,82	0
2	AU	B	301	1/1	1.00	0.14	82,82,82,82	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	AU	K	301	1/1	1.00	0.09	104,104,104,104	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around BOG C 303:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
 and green (positive)






Electron density around BOG J 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BOG H 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BOG A 303:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BOG F 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BOG E 303:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BOG G 303:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around BOG B 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.